



Secretariat provided by the  
United Nations Environment Programme  
(UNEP)

AEWA Doc TC 6.16  
Agenda item 17e  
08 April 2005

**6<sup>th</sup> MEETING OF THE TECHNICAL COMMITTEE**  
*08 - 11 May 2005, Flic en Flac, Mauritius*

---

**DRAFT SINGLE SPECIES ACTION PLAN FOR THE NORTHERN  
BALD IBIS *Geronticus eremita***

**INTRODUCTION**

The Single Species Action Plan for the Northern Bald Ibis *Geronticus eremita* has been initiated by AEWA. The plan covers the global range of the species. The drafting of the plan has been contracted out to SEO/BirdLife Spain and has been compiled mainly by María J. Jiménez Armesto.

This draft represents a version that had been circulated amongst expert organisations within the species' range, and all amendments have been incorporated. It is being sent out to Range States to which the plan applies, and their feedback is sought until 31 May 2005.

The Technical Committee is requested to review the present latest draft, discuss it and make proposals and amendments, if necessary. Furthermore, the Technical Committee is requested to agree on approving the draft plan for submission to the Standing Committee once all received comments from Range States have been incorporated. The final draft will be circulated by e-mail within the Technical Committee after 31 May 2005, and the deadline for taking a decision will be mid-June.



**International Northern Bald Ibis *Geronticus eremita*  
Action Plan.**



**Authors:**

- Boehm, Christiane. Alpenzoo Innsbruck, IAGNBI
- Bowden Chris, Royal Society for the Protection of Birds (RSPB), Chairman International Advisory Group on Northern Bald Ibis (IAGNBI)
- El Bekkay, Mohammed, Souss Massa National Park, Morocco, IAGNBI
- Evans, Steven. BirdLife South Africa
- Hatypoglu, Taner. Ministry of Environment and Forest, Turkey, IAGNBI
- Jiménez Armesto, María J., SEO/BirdLife
- Jordan, Mike. Chester Zoo, IAGNBI
- Kotrschal, Kurt. Konrad Lorenz Institute, IAGNBI
- Lenten, Bert. AEWa Executive Secretary
- López Vázquez, José Manuel, Andalucía Environmental Ministry
- Madroño, Alberto, SEO/BirdLife
- Nagy, Szabolcs, BirdLife International
- Pegoraro, Karin. BLU consulting, IAGNBI
- Quevedo, Miguel, Jerez Zoo, IAGNBI
- Rivera, Elisa. Bern Convention Bureau
- Serra, Gianluca. (Ex) UN-FAO, IAGNBI
- Tavares, José, RSPB

**Milestones in the production:**

- Experts workshop held in Madrid, January 04
- Draft version of action plan with products of the workshop, April 2004
- Contributions and comments from participants
- Last version to submit to AEWa Technical Committee April 2005

**Geographical Scope:**

All world population of the species

## **Table of contents**

Acronyms

Executive summary

1 – Biological Assessment

2 – Available key information

3 – Threats

4 – Policies and legislation relevant for management

5 – Framework for Action

6 – Activities by country

7 – Implementation

8 – References and the most relevant literature

## **Acronyms**

BirdLife International / BirdLife Middle East (BLI / BLME)

Food and Agriculture Organization of United Nations (FAO)

Fund for Integrated Rural Development Of Syria (FIRDOS)

Haut Commissariat aux Eaux et Forêts et la Lutte contre la Desertification (HCEFLD)

International Advisory Group on Northern Bald Ibis (IAGNBI)

International Center for Agricultural Research in the Dry Areas (ICARDA)

IUCN: International Conservation Union

Ministry of Agriculture and Agrarian Reform (MAAR)

Ministry of Local Affairs and Environment (MLAE)

Parc National Souss Massa (PNSM)

Sociedad Española de Ornitología (SEO/BirdLife)

SSC: Species Survival Commission (of the IUCN)

Syrian Society for Conservation of Wildlife (SSCW)

The Arab Center for the Study of Arid zones and Dry lands (ACSAD)

The Royal society for the Protection of Birds (RSPB)

## Executive Summary

The Northern Bald Ibis *Geronticus eremita* has undergone a long history of decline over at least four centuries, having been distributed over much of North and North-East Africa and the Middle East. Two distinct populations have been identified which are genetically distinct. The main western population occurs in Morocco, where the population is now around 100 pairs. A relict population of two pairs persists in Syria, which provides a precarious opportunity to keep the eastern population going in a truly wild state. Turkish birds are now only semi-wild, but are still a very important genetic resource for a time when reintroduction methodology has been developed further.

It is thought that birds used to winter in Sudan, Eritrea, Saudi Arabia and Yemen. Post-1989 records in Saudi Arabia and Eritrea suggested that an undiscovered breeding colony remained in the Middle East.

The Northern Bald Ibis is still classified as critically threatened although because of its small range and population. The improvement of the population in Morocco is very recent and mainly through conservation and management actions. Where this is missing the decline of a population appears dramatically like in Syria over the last 20 years.

The main threats for the species over the centuries have been a combination of direct prosecution but also the loss of steppe and unintensified agricultural areas. The main threats the species now faces are different in the countries where it still occurs.

In Morocco preventing the loss of feeding areas and disturbance to breeding sites are the most important priorities. Illegal buildings and disturbance close to the breeding cliffs and changes in farming on the feeding grounds are threats, which may have the most severe impact on the population.

In Syria there are even greater challenges although it may already be too late. Hunting is the main threat to the tiny population and there is the need to control land-use pressures and other local and regional awareness issues. There is an urgent need to learn where the birds overwinter to reduce potential threats there. Although Turkey has only a semi-wild population it has to be managed well to build up the genetic stock.

The Northern Bald Ibis is susceptible to pesticides and contaminated water sources, and particular attention to this is needed in all areas where the birds forage in all three countries.

The key priority for conservation is to ensure the protection of the Moroccan population, which has two sites where it occurs. The Souss-Massa National Park was designated specifically to protect nesting and feeding areas.

As main targets to increase the number of Northern Bald Ibis colonies in Morocco as well in Syria and Turkey were recognized:

- to maintain agriculture and grazing regimes in order to achieve sustainable exploitation of rangelands and halt advance of desertification processes
- to promote alternative sustainable grazing regimes and energy use, coupled with the promotion of socio-economic development of local communities

- to control firewood collection to prevent destruction or degradation of NBI feeding areas
- to stop hunting
- to control the construction of illegal buildings on or near to NBI breeding and feeding sites
- to reduce the risk of intoxication

Considerable progress has been made over recent years with methodology that should help with potential reintroduction attempts in future. Establishing a resident population is now a real possibility following work carried out in Austria. But there are still important challenges for getting a migratory population established, which may well prove to be possible in future. Further work in this area will be useful but much more detailed information on ecological requirements and previously occupied sites will be necessary.


But this should not in any way distract from the top priorities in Morocco and in Syria to maintain areas of breeding and feeding habitat for these remaining known wild breeding population.

## **1- Biological Assessment**

<p><b>General information</b></p>	<p>The Northern Bald Ibis or Waldrapp Ibis (<i>Geronticus eremita</i>) is about 70-80 cm long and weighs 1000-1500g. The body is elongated and robust with a fairly long neck. The legs are short brownish red. Head and throat are naked and deep red. The nape feathers are elongated. Juvenile birds up to two years have feathers on head and neck which are greyish and short. Data of historic colonies in the Alps (Switzerland, Germany, Austria) (GESNER 1555, overview in PEGORARO 1996 and 1999) which disappeared during 17<sup>th</sup> century. Formerly widespread almost certainly throughout North Africa and into the Middle East (Morocco to Algeria, Turkey Syria, Iraq?) until recently in Turkey and Syria; wintering in Arabia, Ethiopia and N-Somalia. Since the beginning of the 20<sup>th</sup> century two disjunct wild populations: western population in Morocco and eastern population in Turkey.</p> <p>Lives in semiarid arid rocky plains, but also cultivated fields and high altitude pastures and meadows. Nests and roosts in cliffs, often close to watercourses or along the sea. It is a colonial breeder. Feeds on invertebrates, snails, small vertebrates. Sometimes in association to man however very shy due to hunting and affected by disturbance.</p>
<p><b>Taxonomy</b></p>	<p>Aves-Ciconiiformes-Ciconidae_Threskiornithidae Threskiornithinae-<i>Geronticus eremita</i> L. 1758</p>
<p><b>Population development</b></p>	<p>Since the beginning of the 20<sup>th</sup> century sharp decline of the western and eastern population.</p> <p><b>Eastern population:</b> Former records tell of thousand of birds (19<sup>th</sup> century, DANFORD 1880, KUMMERLOEVE 1962); 3000 birds in Birecik 1930, down to 400 in 1982, 5 pairs in 1986, 7 in 1987 and 1 left in 1989 (Akcakaya 1990). The wild colony was declared extinct in 1992 (Akcakaya <i>et al.</i> 1992). Main cause of decline was the use of pesticides (DDT) and human disturbance, no hunting in Turkey but in Syria. In 2002 newly discovered colony with 7 birds which reproduce.</p> <p><b>Western population:</b> many colonies in Morocco and Algeria, however sharp decline in the early 20<sup>th</sup> century. The last colony in Algeria disappeared in the late 80s. In Morocco in 1940 about 38 colonies, in 1975 15 and in 1989 3 colonies survived. Reasons for the decline were human disturbance, hunting and the use of pesticides. Since the late 90s the population in Souss Massa NP is stable and since 1999 increasing ( Status in 2004 420 birds)</p>
<p><b>Distribution throughout the annual cycle</b></p>	<p>Eastern population: migratory: The birds left the breeding grounds in late June/early July and returned February. Wintering grounds not well known but most likely the birds migrated south to NE Africa (Ethopia, Eritrea, Sudan). Syrian birds arrive in February and leave in June. The wintering grounds are not known. The migration of the juveniles is unknown but they probably migrated with their parents.</p> <p>Western population: dispersive and erratic, not much known and few winter data from Mauritania and even across the Sahara in Mali. Most birds left the breeding areas (Atlas) but stayed in Morocco. Breeding now confined to the fairly resident population in Souss Massa. Dispersion may occur from September to January.</p>
<p><b>Survival and productivity</b></p>	<p>Survival: The Northern Bald Ibis is a long living species. In captivity birds reach an average of 20-25 years (oldest male 37y, oldest female 30y (Boehm 1999). As birds start reproduction is an age of 3-5 years the average age can be calculated with 10/15 years.</p>

	Productivity : Since 1994-2004 the reproduction rate per breeding pair varies from 0,6 to 1,6 (EL BEKKAY <i>et al.</i> 2003). Circumstances like time away from the nest when the chicks are young may have the biggest influence in the reproduction success (BOWDEN <i>et al</i> 2003).
<b>Life history</b>	<b>Breeding:</b> Seasonal pairs. Nest building start in February. Eggs laid in March to early April, incubation 24-28 days, fledging period 40-50 days, time to independence not known, age of maturity 3 years (in captivity). Both parents breeds and feed the chicks.
	<b>Feeding:</b> The NBI feeds on invertebrates (snails, scorpions, spiders, beetles, caterpillars, also earwigs and ants; crickets and locusts seem to play a minor role) and small vertebrates (lizards, small mammals, ground nesting birds). (Malin 1990)
	<b>Outside breeding season:</b> Nearly nothing is known about the life history outside the breeding season of wild colonies. Trials with satellite transmitters carried to obtain information on birds movements outside the breeding season
<b>Habitat requirements</b>	In contrast to other ibis species the NBI is a rather terrestrial bird. It lives in arid and semi arid steppe and plains with sparse vegetation and also (extensive used) pasture and farmland. Important seems that the vegetation is sparse and not over 15-20cm high. Change in cultivation may lead to quick abandonment of feeding areas and nesting grounds (HIRSCH <i>pers.</i> ). As the NBI is mostly probing for prey and not so much an optical hunter a soft surface seems to be vital (e.g. in riverbeds, farmland, sand, between small shrubs). Nesting habitat: The NBI is nesting in sea cliffs and cliff ledges or hollows inland (usually near a river) and will use artificial ledges. However the size and shape and covering of the ledges seems to be crucial.

**Figure 1. Map of the distribution of the species.**



**Breeding information**

Breeding	Formerly breeding (date of extinction)	Migration (period)	Non breeding visitor (period):
----------	---	--------------------	-----------------------------------

Morocco		Resident in Souss Massa, migrating in the Atlas (before extinct there)	
Algeria	1987-1990 (FELLOUS 2004)	Migrating	
Turkey	1989 date of extinction of wild population(Arihan 1999)	migrating (breeding from mid February to early August)	
Syria	breeding, (breeding season from February –July). Recently rediscovered		
Germany	disappeared16th century (last report 1593)	migrating? (no data on breeding season and migration, but surely migrating )	
Austria	disappeared16th century (last report 1584)	migrating (no data on breeding season and migration, but surely migrating)	
Switzerland	disappeared16th century (last report 1535)	migrating (no data on breeding season and migration, but surely migrating)	

**Former distribution of Northern Bald Ibis in Europe (Alps Region)**

Location	heard / written	bones	seen	Time
Switzerland				
<b>Balm</b> close to Günsberg (Kanton		x (more		1941

Solothurn)		individuals, with bones from other species) not sure if moved		(Stehlin)
<b>Alt-Warburg</b> bei Olten, Kanton Aargau		x (one specimen)		1400
<b>Bad Pfäfers</b> , Tamina Schlucht, Kanton St. Gallen	a hunter looking for Waldrapp nestlings has found a spring (is the story how this spring has been found!?)			1194-1250?
<b>Mariastein</b> , Jura, south of Basle	A medical doctor F. Plattner is telling in his diary of a NBI “dinner party”			1564
<b>Zurich</b>	A guideline that it is forbidden to kill a NBI			1535
Germany				
<b>Breisach</b> am Rhein			Travel report of a breeding colony of Ladislaus baron of Zierotin	1593
<b>Kelheim</b>	cliffs are described as breeding sites (V. Cordus)		?	1585
<b>Passau</b>	cliffs are described as breeding sites (V. Cordus)		?	1585
<b>Überlingen</b> (Bodensee)			Extreme cold days in March, NBI could be caught by hand	1481
Austria				
<b>Salzburg</b>	Prohibition to catch, hunt , shoot young ibises		Common breeding bird	1544,1558 1578,1584
<b>Graz</b>			Breeding colony	
Area around <b>Danube</b> and <b>Save</b>	Description by locals		?	

## 2 – Available key information

**Table 2. Population figure**

Country	Breeding no.	Quality	Year(s) of the estimate	Breeding Population trend in the last 10 years (or 3 generations)	Quality	Migrating or Non Breeding visitor	Quality	Year(s) of the estimate	Baseline population	References
Morocco	94 pairs		2004	Stable and increasing						Ribi, M., El Bekkay, M., Oubrou, W., Smith, K. 2004
Syria	3 pairs		2003	Unknown only discovered in 2002						Bowden 2003, Serra 2003

**Table 3. Knowledge on habitat, diet and occurrence of the Northern Bald Ibis in Important Bird Areas and Protected Areas**

Type of Knowledge	Breeding			Non Breeding		
	Morocco	Turkey	Syria	Morocco	Turkey	Syria
<i>Habitat and diet</i>						
- Habitat use						
- Diet						
<i>Site Protection</i>						
- Number of IBAs where the species breeds	1	0		1		
- Proportion of the population in IBAs	100 %	0	0	100 %	0	0
- Proportion of the national population in protected areas	70 %		0			0



### 3 – Threats

The main threats of the species are described in the following table, combined for the population in Morocco, Syria and Turkey


**Table 4.1** The importance of threats resulting in a reduction in breeding success at the national level for Morocco, Syria and Turkey. The threats are ranked relative to each other (-1: a threat believed to have a negligible impact, -2: a threat believed to have a medium impact, -3: a threat believed to have a high impact and -4: a threat believed to have a critical impact and that needs to be addressed immediately). Threats are coded according to the IUCN SSC SiS Threats Authority files. Only countries containing wild and semi-wild populations were included in the threat analyses. Countries in which release programmes are proposed should use the threats shown in the executive summary as a starting point for undertaking feasibility assessments for release programmes.


Threat code	Threats reducing breeding success	Countries		
		Morocco	Turkey	Syria
1	Loss/degradation of breeding habitat			
1.4.3	Illegal buildings	-4	0	0
1.8	Falling down of cliffs	-2	-2	-1
1.3.1	Mining -extraction of cliffs	0	0	-1
1.4.6	Flooding nesting places by reservoirs	-1	-2	0
10.6	Military exercises	0	0	-2
1.1	Loss/degradation of feeding habitat			
1.1.5	Abandonment	-3	-1	0
1.1.4	Overgrazing	-3	0	-4
1.1.1	Greenhouse crops	-4	-2	0
1.1.1	Irrigated farming barely	-4	0	0
1.3.3.1	Firewood collection	-1	0	-4
7.1	Drought	-2	0	-3
1.4.6	Flooding feeding areas	-1	-2	0
10.1	Tourism development	-4	0	0
1.4.2	Increasing settlements	-2	0	-4


**Table 4.2** The importance of threats resulting in a reduction in adult survival at the national level for Morocco, Syria and Turkey. Threats are coded according to the IUCN SSC SiS Threats Authority files. (-1: a threat believed to have a negligible impact, -2: a threat believed to have a medium impact, -3: a threat believed to have a high impact and -4: a threat believed to have a critical impact and that needs to be addressed immediately). Only countries containing wild and semi-wild populations were included in the threat analyses. Countries in which release programmes are proposed should use the threats listed in the executive summary as a starting point for undertaking feasibility assessments for release programmes.


Threat code	Threats reducing adult survival	Countries		
		Morocco	Turkey	Syria
	Human activities			
3.5	Nest robbing	-1	0	-2
10	Disturbance			-3
10	Unrestricted access			
10.1	Tourists	-2	-2	-2
10.1	Bird-watching	-2	-2	-2
1.3.1	Oil prospecting	0	-3	-3
10.6	Military	-2	0	0
1.3.2.1	Fishermen	-3	0	0
3.1.1	Truffle hunters	0	-4	-4
6.2.6	Discarded fishing line	-2	0	0
8.2	Predation at breeding sites			-2
10.7	Disturbance by humans	-2	-2	-4
8.5	Disease			-4
8.5	Contaminated food & water	-2	-2	-3
1.1.4	Proximity of livestock	-1	-1	-3
10.2	Inadequate pre-release health screening	-3	-1	0
8.5	Intensive poultry unit	-4	0	-3
1.1.4	Domestic animals (especially birds)	-1	-1	-3
6	Inappropriate waste disposal			
6.2.3	Industrial	-1	-1	
6.2.1	Agricultural	-2	-1	
6.2.2	Domestic	-1	-1	-2
6.2.6	Fishermen	-3	-1	0
6.2.1	Application of pesticides	-2	-2	-3
4.1.2.3	Deliberate poisoning	-1	-1	-1
3	Shooting by hunters	-2	-4	-4
4.2.1	Erection of pylons/electric poles	-1	0	-1
4.2.1	Electric cables	-3	0	-1
4.2.3	Wind generators	-1	0	0
1.4	Roads through feeding areas	-1	0	-2
	Reduced food supply			-4
6	Pesticides	-2	-2	-3
1.2.2	Change in agriculture	-3	-4	-2


**Figure 2. Problem trees**

















#### 4. – Policies and legislation relevant for management

**Table 5. International conservation and legal status of the species.**

World Status	European status	SPEC category	EU Birds Directive Annex	Bern Convention Annex	Bonn Convention Annex	African-Eurasian Migratory Waterbird Agreement	Convention on the International Trade in Endangered Species
Critically Endangered							

#### - National policies, legislation and ongoing activities

**Table 6. National conservation and legal status**

Country	Status in national Red Data Book	Legal protection from killing	Year of protection status	Penalties for illegal killing or nest destruction	Highest responsible authority
Morocco		The main population included in the Souss Massa National Park	National Park created in 1991 Tamri area is Site d'importance biologique et ecologique		HCEFLD
Syria		There is a hunting moratorium since early 1990s - lack of enforcement makes this regulation ineffective	Decree n. 28 issued in 1967 by the Syrian Min of Agric, aimed at protecting several birds considered beneficial to agriculture, includes NBI (notmentioned,description quite clear)		
Turkey					

Table 7. Site (and habitat) protection and research

Country	Percentage of population included in IBAs	Percentage of population included in SPAs	Percentage of population included in Ramsar sites	Percentage of population included in national protected areas	Reserch carried out in the last 5 years
Morocco	100%			70%	Intensive monitoring of the breeding and feeding sites at the PNSM and Tamri site (by PNSM team and RSPB/SEO)
Syria	0			note: a proposal to establish a protected area including the whole ibis breeding area is under process at MAAR	Habitat use and diet, human disturbance and threats, breeding cycle, search for undiscovered colonies, surveying felt needs of locals (unpubl. data, Serra <i>et al.</i> )

**Table 8. Recent conservation action and attitude towards the species**

<b>Country</b>	<b>National protection plan for the species</b>	<b>Is there a national Northern Bald Ibis project / working group?</b>	<b>Is there a national survey / monitoring programme</b>	<b>Is there a monitoring programme in protected areas</b>	<b>Routines for informing the responsible authorities regarding nesting areas and nest sites</b>	<b>Conservation efforts over the last ten years</b>	<b>General attitude towards the species</b>
Morocco		The projet Ibis chauve at the PNSM, carried out by the Park team, RSPB and SEO since 1994	Not carried by the national administration, but the project in place covers such a role	The mentioned project Ibis chauve at PNSM	The PNSM informs the Regional authority and the authority in Rabat (central government)	Intense conservation project at the PNSM, including work with local people living near the colonies (by PNSM/SEO)	Government is very willing to conserve the species, the local people attitude is improving as a consequence of sustainable development projects
Syria		Palmyra project staff (MAAR staff and local community of Palmyra) – increasing interest of SSCW	Not at the moment	?		Conservation programme set in place by Palmyra project since the discovery, in April 2002 (by RSPB)	Locally the people seem to start of being aware of the importance of the birds and the potentials for developing eco-tourism



## **Current Northern Bald Ibis projects.**

### **Austria**

1 – Since 1997 experiment for keeping a self sustaining group of NBI (not a reintroduction yet)

2 - Teaching NBI a suitable migration route (N7S Alps) [www.waldrapteam.at](http://www.waldrapteam.at)

### **Spain**

Started in 2002 similar to 1 (study of different release techniques in south Western Spain  
Objective.: see if a free flying colony is self sustaining all year in this area (not a re-introduction)

### **Morocco** (wild population)

1994 NBI Conservation project

Research-monitoring /work with local people

Carried out in Souss Massa National Park and Tamri area

National Park/BLI/RSPB/SEO

### **Morocco** (captive population)

Mezguitem (site for project)

Proposed reintroduction

Established captive population on site

Birds from Munich Zoo and other zoos (including Rabat)

Another aviary built

Project still moving ahead

### **Turkey** (semi wild population)

NBI conservation project:

Birecik

RSPB/DD/Min of Environment and Forestry

Establish contact with Turkish Zoos

Increasing numbers of BI

Restart migration

Make the area more suitable for the birds

Husbandry +site

Educate local people, especially children

Semi-wild population

### **Syria**

2002/03 Palmyra project (FAO / MAAR / Italian Cooperation)

aimed at developing first operative reserve in the country (Al Talila Reserve), through promotion of rangeland rehabilitation and biodiversity conservation. Discovery of relict ibis colony done by Palmyra project in Mar 2002; the project was flexible enough to conserve and protect this colony during breeding seasons 2002, 2003 and 2004. Ibis colony 50 Km outside nearest PA (Al Talila)

BirdLife / RSPB and AEWa have raised funds to continue some aspects of the project (ie, satellite tagging) in breeding season 2004.

Palmyra project is terminating in June 2004. Complete uncertainty about who will continue the work of Palmyra project, and who will support financially conservation activities needed for next breeding seasons

Flexible enough to conserve this colony

### **Somalia**

SEO 2004 planned a survey for Northern Bald Ibis, funded by AEWA. Cancelled due to political situation in country

EEP + SSP + Japan

### **International Research contribution**

- Three separately managed captive populations
- Three separate studbooks
  
- Genetics research project initiated. E + W population first look
  
- IAGNBI (International Advisory Group on Northern Bald Ibis) acts as a coordinating mechanism at this point in time. It could act as a species working group.

## 5 – Framework for Action

<b>Goal</b>
Increase the number of Northern Bald Ibis colonies

<b>Purpose</b>
To conserve the Northern Bald Ibis by securing the wild colonies, increasing the number of birds and improving our understanding of their needs.

<b>Results</b>									
Result 1 Breeding success, inter and intra specific competition, and predation monitored at all exiting breeding colonies. ***	Result 2 Provision of uncontaminated fresh water sources close to breeding sites maintained and improved. + managing existing reservoirs in accordance with ibis needs (Syria) ***	Result 3 The impact of the introduction of new birds to existing breeding colonies researched in captivity during the breeding season. *	Result 4 The level of genetic variation within the captive, semi-wild and wild populations assessed. **	Result 5 A comprehensive health screening conducted on all birds prior to reintroduction. ***	Result 6 Discarded fishing line and other potentially dangerous debris to be collected and disposed of safely. *	Result 7 A captive population maintained with health, inbreeding and age structure managed. ***	Result 8 The conservation of the Northern Bald Ibis through international coordination and cooperation promoted by the International Advisory Group for the Northern Bald Ibis (IAGNBI). ****	Result 9 Techniques for the establishment of new colonies by reintroduction investigated. **	Result 10 Risk of infection disease reduced ***

Objectively Verifiable Indicators (OVI)									
OVI 1	OVI 2	OVI 3	OVI 4	OVI 5	OVI 6	OVI 7	OVI 8	OVI 9	OVI 10
n. chicks fledged successfully / breeding pairs	Availability of freshwater and amphibian preys is ensured during every breeding season						easier access to funding needed for conservation of syrian ibises;  medium-term project approved and funded aimed at conservation of Syrian ibises		

Means of Verification (MOV)									
MOV 1	MOV 2	MOV 3	MOV 4	MOV 5	MOV 6	MOV 7	MOV 8	MOV 9	MOV 10
Monitoring breeding	Surveying and monitoring occurrence of freshwater and status of reservoirs at different stages of each breeding season						Surveying level of funding and support in Syria in breeding years 2005 and later ones		

**Results cont 1.**

<p>Result 11 Risk of intoxication reduced ****</p>	<p>Result 12 Reduce impact of predators *</p>	<p>Result 13 Hunting stopped ****</p>	<p>Result 14 Risks reduced related to electric wires and collision *</p>	<p>Result 15 Building on or near to NBI breeding and feeding sites restricted. ****</p>	<p>Result 16 Reservoir construction affecting feeding and breeding sites controlled. *</p>	<p>Result 17 Agriculture and grazing regimes maintained reformed in order to achieve sustainable exploitation of rangelands and halt advance of desertification process . (SYR to provide suitable feeding areas. **** (MOR,SYR, TUR)</p>	<p>Result 18 Collection of firewood controlled to prevent destruction or degradation of NBI feeding areas. **** (MOR + SYR)</p>	<p>Result 19 Socio-economic factors driving land use changes investigated and addressed in partnership with local communities and stakeholders Promotion of alternative sustainable grazing regimes and energy use, coupled with promotion of socio-economic developmnet of local community. ****</p>	<p>Result 20 Habitat requirements, food availability and foraging ecology in the current range and release trial sites researched and compared. ***</p>
--	---	---	--	---	--	---	---	---	---

Objectively Verifiable Indicators (OVI) cont. 1									
OVI 11	OVI 12	OVI 13- n. birds shot down per breeding season - n. attempts of ibis killing per breeding season - n. of hunters stopped per breeding season	OVI 14	OVI 15	OVI 16	OVI 17 Vegetation coverage increased or n. species of shrubs increased	OVI 18 Vegetation coverage increased or n. species of shrubs increased or n. of locals using alternative source of energy increased	OVI 19 Present land use regulation is reformed in order to attain sustainability by traditional users at ibis breeding grounds	OVI 20 Preparation of sound articles to be submitted to scientific and conservation journals

<b>Means of Verification (MOV) cont. 1</b>									
MOV 11	MOV 12	MOV 13 Data collected in the field by rangers and guards	MOV 14	MOV 15	MOV 16	MOV 17  Surveying and monitoring scheme of rangeland species and relative abundance	MOV 18  Surveying and monitoring scheme of rangeland species and their relative abundance and of energy use by locals	MOV 19  Surveying and monitoring the process of reform	MOV 20  Data publication

## 6 – Activities by country.

**Coast:** \* : 0 – 5,000 \$,  
 \*\* : 50001 – 15,000 \$,  
 \*\*\* : 15,001 – 30,000 \$ and  
 \*\*\*\* : > 30,000\$

**Priority (for results):** \* : low importance  
 \*\* : medium importance  
 \*\*\* : high importance  
 \*\*\*\* : critically important

### Morocco

Result	Activity	Agencies	Timescale	Cost
1. Breeding success, inter and intra specific competition, and predation monitored at all existing breeding colonies. ***				
	1.1 To establish and train a network of wardens to monitor breeding colonies.			
		PNSM, SEO, RSPB	Ongoing	**
	1.2 To provide monitoring equipment e.g. binoculars, telescopes, vehicles etc. for use by wardens.			
		RSPB, SEO	Oct.2005	*
	1.3 To establish a uniform scientific protocol for monitoring breeding colonies.			
		PNSM, RSPB	Ongoing	-
2. Provision of uncontaminated fresh water sources close to breeding sites maintained and improved ***				
	2.1 To create new water points where required.			
		RSPB, PNSM	Ongoing	-
	2.2 To ensure regular maintenance and cleaning of water points.			
		RSPB, PNSM	Ongoing	-
3. The impact of the introduction of new birds to existing breeding colonies researched in captivity during the breeding season. *				
	3.1 To identify suitable institutions and research partners to manipulate captive colonies.			
		EAZA, IAGNBI	Oct.2005	***
	3.2 To carry out the research required to investigate the impact			
		EAZA, IAGNBI, Zoos, Research institutions.	Oct.2005	***
4. The level of genetic variation within the captive, semi-wild and wild populations assessed. **				
	4.1 To develop a protocol for assessing genetic variation in Northern Bald Ibis.			
		IAGNBI	Oct.2005	
	4.2 To identify suitable institutions and collect appropriate samples.			
		IAGNBI	Oct.2005	

<b>Result</b>	<b>Activity</b>		<b>Agencies</b>	<b>Timescale</b>	<b>Cost</b>
	4.3 To evaluate any existing data on colony interference by introduced birds e.g. Birecik.				
			IAGNBI, EAZA, Research Institutions	Oct.2005	
5. A comprehensive health screening conducted on all birds prior to reintroduction. ***					
	5.1 To establish a protocol of health screening for Northern Bald Ibis prior to reintroduction.				
			IAGNBI, IOZ, Jerez Zoo, Veterinary Institutions.	Oct.2005	*
	5.2 To conduct a disease risk analysis as part of a feasibility study prior to reintroduction.				
			IUCN SSC Reintroduction SG, IAGNBI	Oct.2005	**
	5.3 To build capacity in Turkey and Morocco on Health screening techniques				
			PNSM, RSPB, IOZ, Veterinary institutions.	Oct.2005	**
	5.4 To provide equipment and materials to conduct health assessment of the birds.				
			PNSM, RSPB, Veterinary institutions.	Oct.2005	***
6. Discarded fishing line and other potentially dangerous debris to be collected and disposed of safely. *					
	6.1 To ensure wardens include fishing line and debris removal as part of their daily activities.				
			PNSM	Ongoing	*
	6.2 To educate fishermen by informal meetings of the hazards posed by lost and discarded fishing debris.				
			PNSM, RSPB, Local NGOs	Oct.2005	*
7. A captive population maintained with health, inbreeding and age structure managed. ***					
	7.1 To develop and maintain separate captive Eastern and Western populations until further research clarifies their relationship.				
			EAZA, IAGNBI, Zoos	Ongoing	*

<b>Result</b>	<b>Activity</b>		<b>Agencies</b>	<b>Timescale</b>	<b>Cost</b>
	7.2 Conduct genetic research to clarify the relationships between the Eastern and Western populations.				
			EAZA, IAGNBI, Zoos, Research Institutions	Oct.2005	*
	7.3 Increase the number of the captive Eastern population to 200 – 250 birds.				
			EAZA, IAGNBI, Zoos	Oct.2005	**
	7.4 Investigate other Northern Bald Ibis holders for the Eastern population.				
			EAZA, IAGNBI, Zoos	Oct.2005	**
	7.5 Investigate the origin of all Eastern population birds held in captivity.				
			EAZA, IAGNBI, Research Institutions.	Oct.2005	**
8. The conservation of the Northern Bald Ibis through international coordination and cooperation promoted by the International Advisory Group for the Northern Bald Ibis (IAGNBI). ****					
	8.1 To obtain the endorsement of AEWA and other appropriate bodies for IAGNBI as the designated lead coordinating body.				
			IAGNBI, AEWA, IUCN SSC, BirdLife, RSPB	Ongoing	*
	8.2 To maintain IAGNBI as both a group of technical experts and governmental representatives from all current and future range states of the Northern Bald Ibis.				
			IAGNBI	Ongoing	*
	8.3 IAGNBI to promote the development of National Northern Bald Ibis action plans where appropriate.				
			IAGNBI	Oct.2005	**
	8.4 IAGNBI to maintain cooperation and information exchange with the Southern Bald Ibis Working Group (SBIWG).				
			IAGNBI, SBIWG	Ongoing	**
9. Techniques for the establishment of new colonies by reintroduction investigated. **					
	9.1 To establish protocols for creating both sedentary and migratory Northern Bald Ibis populations in suitable habitat.				
			IAGNBI, IUCN SSC Reintroduction SG,	Ongoing	****

Result	Activity	Agencies	Timescale	Cost
		conservation & research institutions		
	9.2 To develop techniques (model) for assessing suitable release sites.			
		IAGNBI, research institutions	Feb. 2006 - 2007	***
	9.3 To investigate captive colony splitting as a potential technique.			
		IAGNBI, Zoos, Research institutions	Feb. 2006	***
	9.4 To ensure that no reintroductions take place without full consultation with IAGNBI and the IUCN SSC Reintroduction specialist group.			
		IAGNBI, IUCN SSC Reintroduction SG.	Ongoing	*
10. Risk of infection disease reduced ***				
	10.1 Veterinary / post-mortem protocol assured for any sick or dead bird			
		IAGNBI, IOZ, Jerez Zoo, Veterinary Institutions.	Oct.2005	**
	10.2 To build veterinary capacity in Morocco, Syria and Turkey for post-mortem work.			
		PNSM, RSPB, IOZ, Veterinary institutions.	Ongoing	**
	10.3 To provide equipment and materials to conduct veterinary / post-mortem work.			
		PNSM, RSPB, IOZ, Veterinary institutions.	Ongoing	**
	10.4 Standardised assessment of risks made in each country (domestic and wildlife)			
		RSPB, LAS.VET, PNSM	05	**
	10.5 Appropriate waste protocol at intensive poultry units it is assured in all known feeding areas			
		PNSM	05	*
	10.6 Douira poultry unit relocated			

Result	Activity	Agencies	Timescale	Cost
		PNSM	05	**
11. Risk of intoxication reduced ****				
	11.1 Local farmers questioned about use of pesticides.			
		PNSM, RSPB	05	*
	11.2 Meetings with farmers, teachers etc to raise awareness of risks of pesticides used.			
		PNSM, RSPB	05	
	11.3 To identify key foraging areas.			
		PNSM, RSPB	Oct.2005	*
	11.5 Maintain water provisioning points near colonies (Mor).			
		Ongoing		
	11.6 Veterinary / post-mortem protocol assured for any sick or dead bird			
		IAGNBI, IOZ, Jerez Zoo, Veterinary Institutions.	Oct.2005	**
	11.7 To build veterinary capacity in Morocco, Syria and Turkey for post-mortem work.			
		PNSM, RSPB, IOZ, Veterinary institutions.	Ongoing	**
	11.8 To provide equipment and materials to conduct veterinary / post-mortem work.			
		PNSM, RSPB, IOZ, Veterinary institutions.	Ongoing	**
13. Hunting stopped ****				
	13.3. Signboards placed in all feeding areas (Syria & Turkey), maintained (Morocco).			
14. Risks reduced related to electric wires and collision *				
	14.1. Poles are low-risk of electrocution design (Morocco & Turkey)			
		MIN E and F	05	**
	14.2. Increasing visibility of electric wires in feeding areas (Tamri & Birecik)			
		MUNICIPALITY,	05	***

<b>Result</b>	<b>Activity</b>		<b>Agencies</b>	<b>Timescale</b>	<b>Cost</b>
			MIN OF ENERGY		
15. Building on or near to NBI breeding and feeding sites restricted. ****					
	15.1 Stop the illegal construction of grottes at or near breeding and roosting sites.				
	15.2 Restrict and consult with IAGNBI on all tourist and hotel developments.				
	15.3 Protected area status for all breeding and feeding areas (best designation to be determined) in partnership with local communities. (Tamri & Tifnit – MOR, Palmyra –SYR, + ?TUR)				
	15.4 Develop a management plan for Tamri and Palmyra in partnership with local communities.				
	15.5 Initiate training and provide equipment for staff to implement management plans.				
16. Reservoir construction affecting feeding and breeding sites controlled. *					
	16.1 Ensure consultation with IAGNBI at early planning stage of all future developments potentially effecting NBI.				
17. Agriculture and grazing regimes maintained/altered to provide suitable feeding areas. ****					
18. Collection of firewood controlled to prevent destruction or degradation of NBI feeding areas. ****					
19. Socio-economic factors driving land use changes investigated and addressed in partnership with local communities and stakeholders. ****					
20. Habitat requirements, food availability and foraging ecology in the current range and release trial sites researched and compared. ***					
21. Disturbance by military firing range reduced.(suggested for MOR – Souss-Massa*) - not fully discussed, but option of moving firing range to be discussed at draft stage)					

**Syria**

<b>Result</b>	<b>Activity</b>		<b>Agencies</b>	<b>Timescale</b>	<b>Cost</b>
1. Breeding success, inter and intra specific competition, and predation monitored at all existing breeding colonies. ***					
	1.1 To establish and train a network of wardens to monitor breeding colonies.				
			MLAE, MAAR, SSCW, BLI / BLME	Ongoing	*
	1.2 To provide monitoring equipment e.g. binoculars, telescopes, vehicles etc. for use by wardens.				
			MLAE MAAR, SSCW, RSPB, BLI / BLME, donors	Oct.2005	*
	1.3 To establish a uniform scientific protocol for monitoring breeding colonies.				
			RSPB	Ongoing	-
2. Provision of uncontaminated fresh water sources close to breeding sites maintained and improved ***					
	2.3 To investigate the hydrology of key available sources of water.				
			MLAE, MAAR, SSCW, ACSAD, BLI / BLME	JulOct.2005	*
	2.4 To make recommendations to local authorities on best practices for managing key available water sources.				
			ACSAD, BLI / BLME	Jul 2005	*
3. The impact of the introduction of new birds to existing breeding colonies researched in captivity during the breeding season. *					
	3.1 To identify suitable institutions and research partners to manipulate captive colonies.				
			EAZA, IAGNBI	Oct.2005	***
	3.2 To carry out the research required to investigate the impact				
			EAZA, IAGNBI, Zoos, Research institutions.	Oct.2005	***
4. The level of genetic variation within the captive, semi-wild and wild populations assessed. **					
	4.1 To develop a protocol for assessing genetic variation in Northern Bald Ibis.				
			IAGNBI	Oct.2005	
	4.2 To identify suitable institutions and collect appropriate samples.				

<b>Result</b>	<b>Activity</b>	<b>Agencies</b>	<b>Timescale</b>	<b>Cost</b>
		IAGNBI	Oct.2005	
	4.3 To evaluate any existing data on colony interference by introduced birds e.g. Birecik.			
		IAGNBI, EAZA, Research Institutions	Oct.2005	
5. A comprehensive health screening conducted on all birds prior to reintroduction. ***				
	5.1 To establish a protocol of health screening for Northern Bald Ibis prior to reintroduction.			
		IAGNBI, IOZ, Jerez Zoo, Veterinary Institutions.	Oct.2005	*
	5.2 To conduct a disease risk analysis as part of a feasibility study prior to reintroduction.			
		IUCN SSC Reintroduction SG, IAGNBI	Oct.2005	**
	5.4 To provide equipment and materials to conduct health assessment of the birds.			
		Min of Env, Veterinary institutions.	Oct.2005	***
7. A captive population maintained with health, inbreeding and age structure managed. ***				
	7.1 To develop and maintain separate captive Eastern and Western populations until further research clarifies their relationship.			
		EAZA, IAGNBI, Zoos	Ongoing	*
	7.2 Conduct genetic research to clarify the relationships between the Eastern and Western populations.			
		EAZA, IAGNBI, Zoos, Research Institutions	Oct.2005	*
	7.3 Increase the number of the captive Eastern population to 200 – 250 birds.			
		EAZA, IAGNBI, Zoos	Oct.2005	**
	7.4 Investigate other Northern Bald Ibis holders for the Eastern population.			
		EAZA, IAGNBI,	Oct.2005	**

Result	Activity	Agencies	Timescale	Cost
		Zoos		
	7.5 Investigate the origin of all Eastern population birds held in captivity.			
		EAZA, IAGNBI, Research Institutions.	Oct.2005	**
8. The conservation of the Northern Bald Ibis through international coordination and cooperation promoted by the International Advisory Group for the Northern Bald Ibis (IAGNBI). ****				
	8.1 To obtain the endorsement of AEWA and other appropriate bodies for IAGNBI as the designated lead coordinating body.			
		IAGNBI, AEWA, IUCN SSC, BirdLife, RSPB	Ongoing	*
	8.2 To maintain IAGNBI as both a group of technical experts and governmental representatives from all current and future range states of the Northern Bald Ibis.			
		IAGNBI	Ongoing	*
	8.3 IAGNBI to promote the development of National Northern Bald Ibis action plans where appropriate.			
		, IUCN SSC ? BLI / BLME ?IAGNBI	Oct.2005	**
	8.4 IAGNBI to maintain cooperation and information exchange with the Southern Bald Ibis Working Group (SBIWG).			
		IAGNBI, SBIWG	Ongoing	**
9. Techniques for the establishment of new colonies by reintroduction investigated. **				
	9.1 To establish protocols for creating both sedentary and migratory Northern Bald Ibis populations in suitable habitat.			
		IAGNBI, IUCN SSC Reintroduction SG, conservation & research institutions	Ongoing	****
	9.2 To develop techniques (model) for assessing suitable release sites.			
		IAGNBI, research institutions	Feb. 2006 - 2007	***
	9.3 To investigate captive colony splitting as a potential technique.			
		IAGNBI, Zoos, Research institutions	Feb. 2006	***

<b>Result</b>	<b>Activity</b>		<b>Agencies</b>	<b>Timescale</b>	<b>Cost</b>
	9.4 To ensure that no reintroductions take place without full consultation with IAGNBI and the IUCN SSC Reintroduction specialist group.		IAGNBI, IUCN SSC Reintroduction SG.	Ongoing	*
<b>10. Risk of infection disease reduced ***</b>					
	10.1 Veterinary / post-mortem protocol assured for any sick or dead bird				
			IAGNBI, IOZ, Jerez Zoo, Veterinary Institutions.	Oct.2005	**
	10.2 To build veterinary capacity in Morocco, Syria and Turkey for post-mortem work.				
			Min of Env, IOZ, Veterinary institutions.	Oct.2005	**
	10.3 To provide equipment and materials to conduct veterinary / post-mortem work.				
			Min of Env, IOZ, Veterinary institutions.	Oct.2005	**
	10.4 Standardised assessment of risks made in each country (domestic and wildlife)				
			MLAE	05	**
<b>11. Risk of intoxication reduced ****</b>					
	11.1 Local farmers questioned about use of pesticides.				
			MLAE , SSWC, ICARDA	Jul 2005	**
	11.2 Meetings with farmers, teachers etc to raise awareness of risks of pesticides used.				
			MLAE, SSWC	Jul 2005	**
	11.3 To identify key foraging areas.				
			MLAE, SSCW, BLI / BLME	Ongoing	**
	11.4 Quality of water sources monitored each year (Mor).				
			MAAR, MLAE MIM, IVRIG,	05	*

Result	Activity	Agencies	Timescale	Cost
		ACSAD		
	11.6 Veterinary / post-mortem protocol assured for any sick or dead bird			
		MLAE, MAAR, IOZ, Veterinary institutions.	Oct.2005	**
	11.7 To build veterinary capacity in Morocco, Syria and Turkey for post-mortem work.			
		Min of Env, IOZ, Veterinary institutions.	Oct.2005	**
	11.8 To provide equipment and materials to conduct veterinary / post-mortem work.			
		MLAE, MAAR, IOZ, Veterinary institutions.	Oct.2005	**
12. Reduce impact of predators *				
	12.1 Surveillance of any predation events.			
		MLAE, SSWC, BLI / BLME	ongoing	**
	12.2 Control measures taken (for special cases)			
13. Hunting stopped ****				
	13.1. Surveillance of any potential hunting and define all feeding areas.			
		MLAE, MAAR, SSWC	ongoing	**
	13.2. Meetings (sensitisation) with hunters and schools.			
		MLAE, MAAR SSWC	2005 and 2006	*
	13.3 Preparation of an official statement by enforcement Syrian authorities stating the strict forbiddance of hunting in the ibis breeding area			
	MLAE, MAAR, SSWC			
	13.4. Signboards placed in all feeding areas (Syria & Turkey), maintained (Morocco).			

<b>Result</b>	<b>Activity</b>		<b>Agencies</b>	<b>Timescale</b>	<b>Cost</b>
	13.5. Media campaign (TV etc) promoting importance of NBI and hunting laws (Syria & Morocco) and produce posters/calendars (Turkey).				
			MLAESSWC	2005 and 2006	***
	13.6. Identify and close all trophy shops (Syria)				
			MLAE, SSWC, MAAR	2005	
	13.7. Improved hunting law enforcement				
			MLAE, SSWC, MAAR	2005 and 2006	***
	13.8. Involve and train local hunters in wardening, ecotourism etc.				
			MLAE, SSWC, BLI / BLME	2005	**
14. Risks reduced related to electric wires and collision *					
	14.3. NBI considered during any new construction of wind generators and roads in feeding zones.				
			MLAE, SSWC, MIN. TRANSPORTATIO N		
15. Building on or near to NBI breeding and feeding sites restricted. ****					
	15.2 Restrict and consult with IAGNBI on all tourist and hotel developments.				
			MLAE, SSCW	2005	
	15.3 Protected area status for all breeding and feeding areas (best designation to be determined) in partnership with local communities. (Tamri & Tifnit – MOR, Palmyra –SYR, + ?TUR)				
			MAAR, MLAE, SSCW, BLI / BLME, FIRDOS	2005	*
	15.4 Develop a management plan for Tamri and Palmyra in partnership with local communities.				
			MAAR, MLAE, SSCW, BLI / BLME,	2005	**

Result	Activity		Agencies	Timescale	Cost
			FIRDOS		
	15.5 Initiate training and provide equipment for staff to implement management plans.				
			MAAR, MLAE, SSCW, BLI / BLME	2006	***
16. Reservoir construction affecting feeding and breeding sites controlled. *					
	16.1 Ensure consultation with IAGNBI at early planning stage of all future developments potentially effecting NBI.				
			MAAR, MLAE, SSCW	2005 and 2006	-
17. Agriculture and grazing regimes reformed in order to achieve sustainable exploitation of rangelands and stop desertification**** maintained/alterd to provide suitable feeding areas. ****					
	17.1 Following up the exception to the open access rule (i.e., pioneering attempt of land reform in Syria), promoted by Palmyra project, and in the process of being applied in the buffer zone of Al Talila reserve (Palmyra)				
17.2. Applying the reform of land tenure attempted in Palmyra to all protected areas of Syria					
17.3. Extending the reform of land tenure attempted in Palmyra to all steppe of Syria					
18. Collection of firewood controlled to prevent destruction or degradation of NBI feeding areas. ****					
19. Socio-economic factors driving land use changes investigated and addressed in partnership with local communities and stakeholders. ****					
20. Habitat requirements, food availability and foraging ecology in the current range and release trial sites researched and compared. ***					

## Turkey

Result	Activity	Agencies	Timescale	Cost
1. Breeding success, inter and intra specific competition, and predation monitored at all existing breeding colonies. ***				
	1.1 To establish and train a network of wardens to monitor breeding colonies.			
		Min of Env & Forestry, DD	Oct.2005	*
	1.2 To provide monitoring equipment e.g. binoculars, telescopes, vehicles etc. for use by wardens.			
		Min of Env & Forestry, DD, RSPB	Oct.2005	*
	1.3 To establish a uniform scientific protocol for monitoring breeding colonies.			
		Min of Env & Forestry, DD	Ongoing	-
3. The impact of the introduction of new birds to existing breeding colonies researched in captivity during the breeding season. *				
	3.1 To identify suitable institutions and research partners to manipulate captive colonies.			
		EAZA, IAGNBI	Oct.2005	***
	3.2 To carry out the research required to investigate the impact			
		EAZA, IAGNBI, Zoos, Research institutions.	Oct.2005	***
4. The level of genetic variation within the captive, semi-wild and wild populations assessed. **				
	4.1 To develop a protocol for assessing genetic variation in Northern Bald Ibis.			
		IAGNBI	Oct.2005	
	4.2 To identify suitable institutions and collect appropriate samples.			
		IAGNBI	Oct.2005	
	4.3 To evaluate any existing data on colony interference by introduced birds e.g. Birecik.			
		IAGNBI, EAZA, Research Institutions	Oct.2005	
5. A comprehensive health screening conducted on all birds prior to reintroduction. ***				
	5.1 To establish a protocol of health screening for Northern Bald Ibis prior to reintroduction.			
		IAGNBI, IOZ, Jerez Zoo, Veterinary	Oct.2005	*

Result	Activity	Agencies	Timescale	Cost
		Institutions.		
	5.2 To conduct a disease risk analysis as part of a feasibility study prior to reintroduction.			
		IUCN SSC Reintroduction SG, IAGNBI	Oct.2005	**
	5.3 To build capacity in Turkey and Morocco on Health screening techniques			
		Min of Env & Forestry, IOZ, Veterinary institutions.	Oct.2005	**
	5.4 To provide equipment and materials to conduct health assessment of the birds.			
		Min of Env & Forestry, Veterinary institutions.	Oct.2005	***
7. A captive population maintained with health, inbreeding and age structure managed. ***				
	7.1 To develop and maintain separate captive Eastern and Western populations until further research clarifies their relationship.			
		EAZA, IAGNBI, Zoos	Ongoing	*
	7.2 Conduct genetic research to clarify the relationships between the Eastern and Western populations.			
		EAZA, IAGNBI, Zoos, Research Institutions	Oct.2005	*
	7.3 Increase the number of the captive Eastern population to 200 – 250 birds.			
		EAZA, IAGNBI, Zoos	Oct.2005	**
	7.4 Investigate other Northern Bald Ibis holders for the Eastern population.			
		EAZA, IAGNBI, Zoos	Oct.2005	**
	7.5 Investigate the origin of all Eastern population birds held in captivity.			
		EAZA, IAGNBI,	Oct.2005	**

Result	Activity	Agencies	Timescale	Cost
		Research Institutions.		
	7.6 Build the capacity at Birecik to support and increase their population to 150 birds (e.g. removing trees, expanding cages and promoting good husbandry).			
		Min of Env & Forestry, DD, RSPB, EAZA.	Ongoing	***
8. The conservation of the Northern Bald Ibis through international coordination and cooperation promoted by the International Advisory Group for the Northern Bald Ibis (IAGNBI). ****				
	8.1 To obtain the endorsement of AEWA and other appropriate bodies for IAGNBI as the designated lead coordinating body.			
		IAGNBI, AEWA, IUCN SSC, BirdLife, RSPB	Ongoing	*
	8.2 To maintain IAGNBI as both a group of technical experts and governmental representatives from all current and future range states of the Northern Bald Ibis.			
		IAGNBI	Ongoing	*
	8.3 IAGNBI to promote the development of National Northern Bald Ibis action plans where appropriate.			
		IAGNBI	Oct.2005	**
	8.4 IAGNBI to maintain cooperation and information exchange with the Southern Bald Ibis Working Group (SBIWG).			
		IAGNBI, SBIWG	Ongoing	**
9. Techniques for the establishment of new colonies by reintroduction investigated. **				
	9.1 To establish protocols for creating both sedentary and migratory Northern Bald Ibis populations in suitable habitat.			
		IAGNBI, IUCN SSC Reintroduction SG, conservation & research institutions	Ongoing	****
	9.2 To develop techniques (model) for assessing suitable release sites.			
		IAGNBI, research institutions	Feb. 2006 - 2007	***
	9.3 To investigate captive colony splitting as a potential technique.			
		IAGNBI, Zoos,	Feb. 2006	***

Result	Activity	Agencies	Timescale	Cost
		Research institutions		
	9.4 To ensure that no reintroductions take place without full consultation with IAGNBI and the IUCN SSC Reintroduction specialist group.			
		IAGNBI, IUCN SSC Reintroduction SG.	Ongoing	*
10. Risk of infection disease reduced ***				
	10.1 Veterinary / post-mortem protocol assured for any sick or dead bird			
		IAGNBI, IOZ, Jerez Zoo, Veterinary Institutions.	Oct.2005	**
	10.2 To build veterinary capacity in Morocco, Syria and Turkey for post-mortem work.			
		Min of Env & Forestry, IOZ, Veterinary institutions.	Ongoing	**
	10.3 To provide equipment and materials to conduct veterinary / post-mortem work.			
		Min of Env & Forestry, IOZ, Veterinary institutions.	Ongoing	**
	10.4 Standardised assessment of risks made in each country (domestic and wildlife)			
		MEF	05	**
11. Risk of intoxication reduced ****				
	11.1 Local farmers questioned about use of pesticides.			
		Min of Env, DD, RSPB		
	11.2 Meetings with farmers, teachers etc to raise awareness of risks of pesticides used.			
		MIN, EAV, FOR, DD, AGR	05	**
	11.3 To identify key foraging areas.			
		Min of Env, DD,	Ongoing	*

Result	Activity	Agencies	Timescale	Cost
		RSPB		
	11.6 Veterinary / post-mortem protocol assured for any sick or dead bird			
		IAGNBI, IOZ, Jerez Zoo, Veterinary Institutions.	Oct.2005	**
	11.7 To build veterinary capacity in Morocco, Syria and Turkey for post-mortem work.			
		Min of Env & Forestry, IOZ, Veterinary institutions.	Ongoing	**
	11.8 To provide equipment and materials to conduct veterinary / post-mortem work.			
		Min of Env & Forestry, IOZ, Veterinary institutions.	Ongoing	**
12. Reduce impact of predators *				
	12.1 Surveillance of any predation events.			
		DD, RSPB, BHKD	Ongoing	**
13. Hunting stopped ****				
	13.2. Meetings (sensitisation) with hunters and schools.			
		MUNICIPALITY	ongoing	*
	13.3. Signboards placed in all feeding areas (Syria & Turkey), maintained (Morocco).			
		DD		**
	13.6. Improved hunting law enforcement			
		N AGRICULTURE		
14. Risks reduced related to electric wires and collision *				
	14.1. Poles are low-risk of electrocution design (Morocco & Turkey)			
		MIN E and F	05	**
	14.2. Increasing visibility of electric wires in feeding areas (Tamri & Birecik)			
		MUNICIPALITY,	05	***

Result	Activity		Agencies	Timescale	Cost
			MIN OF ENERGY		
	14.3. NBI considered during any new construction of wind generators and roads in feeding zones.				
			MIN ENU and MIN, MIN ENERGY	05	**
15. Building on or near to NBI breeding and feeding sites restricted. ****					
	15.3 Protected area status for all breeding and feeding areas (best designation to be determined) in partnership with local communities. (Tamri & Tifnit – MOR, Palmyra –SYR, + ?TUR)				
	15.5 Initiate training and provide equipment for staff to implement management plans.				
16. Reservoir construction affecting feeding and breeding sites controlled. *					
	16.1 Ensure consultation with IAGNBI at early planning stage of all future developments potentially effecting NBI.				
17. Agriculture and grazing regimes maintained/altered to provide suitable feeding areas. ****					
19. Socio-economic factors driving land use changes investigated and addressed in partnership with local communities and stakeholders. **** Promotion of alternative sustainable grazing regimes and energy use, coupled with promotion of socio-economic development of local community					
20. Habitat requirements, food availability and foraging ecology in the current range and release trial sites researched and compared. ***					

## **7 – Implementation**

The International Advisory Group on Northern Bald Ibis (IAGNBI) could act as Species working group and monitor the implementation of the actions mentioned in the tables if funding is available.

Since 1998 regular monitoring committee meetings have been held in Souss Massa National Park to monitor the activities carried out in the Bald Ibis conservation project. A similar thing could be established in Syria and Turkey.

## 8 – References and the most relevant literature

- SERRA G. 2002. Proposal for an action plan to protect wildlife of Palmyrean desertic steppe. FAO report project GCP/SYR/009/ITA prepared upon request of Syrian Ministry of Environment (available at FAO Rep. Syria).
- SERRA G. 2003. Discovery of Northern Bald Ibises in Syria. *World Birdwatch* (BirdLife International magazine), 25(1): 10-13.
- SERRA G., ABDALLAH M., ABDALLAH A., AL QAIM G., FAYED T., ASSAED A., WILLIAMSON D. 2003. Discovery of a relict breeding colony of Northern Bald Ibis *Geronticus eremita* in Syria: still in time to save the eastern population? *Oryx*, 38 (1): 1-7.
- SERRA G., BATELLO C., WILLIAMSON D. 2003. From Indifference to Awareness. FAO publication (available at FAO Hqs, Rome, Italy)
- GESNER, C. (1555): *Icones Avium omnium quae in Historia Avium Conradi Gesneri describuntur*. Christoffel Froschouer Zürich
- PEGORARO, K. (1996 a): *Der Waldrapp. Vom Ibis, den man für einen Raben hielt*. 144 pp. Wiesbaden. AULA Verlag.
- PEGORARO, K., & M. FÖGER (1999): The Northern Bald Ibis *Geronticus eremita* in Europe: A Historical Review In: Northern Bald ibis *Geronticus eremita*. 2<sup>nd</sup> EEP Studbook (BÖHM, C. ed.) Alpenzoo Innsbruck-Tirol: 10 - 20.
- AKÇAKAYA, H.R. (1990): Bald Ibis *Geronticus eremita* population in Turkey: an evaluation of the captive breeding project for reintroduction. *Biol. Cons.* 51: 225-237.
- DANFORD, C.G. (1880): A further contribution to the ornithology of Asia Minor. *Ibis* (4) 4: 81-99.
- KUMERLOEVE, H. (1962): Zur Geschichte der Waldrapp-Kolonie in Birecik am oberen Euphrat. *J. Ornithol.* 103: 389-398.
- KUMERLOEVE, H. (1984): The Waldrapp, *Geronticus eremita* (Linnaeus, 1758): historical review, taxonomic history, and present status. *Biol. Cons.* 30: 363-373.
- AKÇAKAYA 1992
- BÖHM, C. (1999): (Ed) Northern Bald Ibis *Geronticus eremita*, 2<sup>nd</sup> EEP Studbook 1999: 52-64. Alpenzoo, Innsbruck-Tirol
- BOWDEN, C.G.R., A. AGHNAJ, K.W. SMITH & M. RIBI (2003): The status and recent breeding performance of the critically endangered Northern Bald Ibis *Geronticus eremita* population on the Atlantic coast of Morocco. *Ibis* 145: 419-431.
- FELLOUS, A. (2004): a short review of the historical distribution of the Northern Bald ibis (*Geronticus eremita*) in Algeria. in IAGNBI newsletter 3 (Boehm, C. Ed.). 48-49.-