



Report on the status of waterbird populations in the AEWA area for the period 2013-2018

Through Resolution 7.1, the 7th Session of the Meeting of the Parties (MOP7) to AEWA adopted, amongst other things, the format for national reports on the implementation of AEWA for the period 2018-2020 as presented in document AEWA/MOP 7.17.

Document AEWA/MOP 7.17 envisages a module on the status of native and non-native waterbird species, but it was agreed that this module will be developed by the Technical Committee and approved by the Standing Committee in early 2019. The format for reporting on Article 12 of the European Union's Birds Directive (EU BD) for the period 2013-2018 was agreed as the basis for this module, while focusing only on some fields of the EU reporting template, notably those in Annex B, chapters 1-5.

The alignment of the AEWA population status reporting module with the EU BD Article 12 template for 2013-2018 will, on the one hand, allow reporting of all necessary information by the AEWA Contracting Parties needed for the assessment of the status of AEWA populations, and, on the other hand, will require the EU members states that are Contracting Parties to AEWA to report only once their national data for the native species listed in Annex 2 of AEWA, providing that access to the EU BD Article 12 national reports will be granted to the UNEP/AEWA Secretariat. If any EU Member State with overseas territories within the AEWA area has not reported on the AEWA-listed species in those territories, data should be submitted through the AEWA reporting process.

Unlike the EU BD Article 12 template, the AEWA population status reporting module should request similar type of information for non-native waterbird species as for native species. The EU members states will therefore, like all other AEWA Contracting Parties, need to fill out the AEWA population status reporting module with respect to the status of the non-native waterbird species occurring in their territories, including overseas territories within the AEWA area.

In order to be able to use the national data reported by the AEWA Contracting Parties for the 8th edition of the AEWA Conservation Status Report, this reporting module has been set up separately in the CMS Family Online Reporting System and the deadline for submission of the national population status reports has been set by MOP7 at 30 June 2020.

1. GENERAL INFORMATION

Name of reporting Contracting Party

>>> Israel

Date of entry into force of AEWA in the Contracting Party

>>> 2002

2. INSTITUTIONAL INFORMATION

Please indicate the Designated National Respondent (DNR) and the other contributors to the Report on the population size and trend of AEWA-listed (native) and non-native waterbird species in the Agreement area for the period 2013-2018.

Name and title of the DNR

>>> Ohad Hatzofe

Affiliation (institution, department, organisation)

>>> Science division, Israel Nature and Parks Authority

Mailing address - Street and number

>>> 3 Am veolmo st.

Postal code

>>> 9546303

City

>>> Jerusalem

Country

>>> Israel

Telephone

>>> 053-7762344

Fax

>>> 02-5006281

E-mail

>>> ohad@npa.org.il

Website

>>> <https://www.parks.org.il/en/>

3. AEWA-LISTED (NATIVE) WATERBIRD SPECIES

Please report on each species in the drop-down menu. This list contains all AEWA waterbird species that occur in your country. Should you identify any omissions, please contact the UNEP/AEWA Secretariat.

Israel

White-headed Duck / *Oxyura leucocephala*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2,346

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
---------	--

Maximum	
Best single value	

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2018

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either

interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	507
Maximum	4205
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Greater White-fronted Goose / Anser albifrons

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	72

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	0

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Common Shelduck / *Tadorna tadorna*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	36

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's data base

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	211

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's data base

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2018

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	33
Maximum	967
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Ruddy Shelduck / Tadorna ferruginea

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
---------	--

Maximum	
Best single value	0

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Marbled Teal / Marmaronetta angustirostris

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Population unit

Pairs

Numbers [Raw, i.e. not rounded]. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	33

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

Previous breeding numbers estimate is available

Year or period

[Year or period when numbers were previously determined]

>>> 2019

Population unit

Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	33

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Changes in the breeding numbers estimates

Has there been a change between the previous and the latest breeding numbers estimate?

No

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	34

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	174

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Red-crested Pochard / *Netta rufina*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	0

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

--	--

Minimum	
Maximum	
Best single value	3

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Common Pochard / *Aythya ferina*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	3073

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> 3073

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is

available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2,074

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend**Breeding numbers**

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Ferruginous Duck / *Aythya nyroca***Population Size****Breeding numbers**

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2013

Population unit

Pairs

Numbers [Raw, i.e. not rounded]. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	13

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> SPNI and INPA survey of rare breeding ducks, 2013

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

Previous breeding numbers estimate is available

Year or period

[Year or period when numbers were previously determined]

>>> 2012

Population unit

Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	8

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Changes in the breeding numbers estimates

Has there been a change between the previous and the latest breeding numbers estimate?

Yes

Please clarify the nature of change

[More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> There is a moderate increase in range and breeding numbers.

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	193

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	

Maximum	
Best single value	448

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Population trend

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2018

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	84
Maximum	561
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

Yes

Please indicate whether estimate of the breeding range size and short-term (last 12 years) and/or long-term (since ca. 1980) range trend is available

The following estimates are available:

Short-term trend of the range

Short-term breeding range trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2003-2013

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	0
Maximum	13
Best single value	

Method used for short-term range trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> SPNI and INPA survey of rare breeding ducks, 2013, Mr Ezra Hadad (ezra_hd@bezeqint.net)

Long-term breeding range trend estimate

Tufted Duck / *Aythya fuligula*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,948

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1964

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Garganey / *Spatula querquedula*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	0

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

--	--

Minimum	
Maximum	
Best single value	2

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Northern Shoveler / *Spatula clypeata*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	38,571

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details,

etc.]
>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	34,110

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	6,147
Maximum	40,751
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Gadwall / *Mareca strepera*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2,419

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,204

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	160
Maximum	2,419
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Eurasian Wigeon / *Mareca penelope*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,087

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	614

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend**Breeding numbers**

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	367
Maximum	1,087
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Mallard / Anas platyrhynchos

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	16,175

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** Previous non-breeding/wintering numbers estimate is available**Year or period** [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	9,372

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates**Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?** Yes**Please clarify the nature of change** [More than one option from the list below is possible] The nature of change is not known**Please indicate which reason for change is predominant** Due to genuine change**Population trend****Breeding numbers****Please indicate whether:** Neither short-term nor long-term breeding numbers trend estimate is available**Passage and staging numbers****Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available**

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	2,102
Maximum	20,567
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Northern Pintail / *Anas acuta*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	556

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	

Maximum	
Best single value	341

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	146
Maximum	3,819
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Common Teal / *Anas crecca*

Population trend

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available,

ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	4,450
Maximum	20,711
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Little Grebe / Tachybaptus ruficollis

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2,755

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2,836

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Population trend

Breeding numbers

Please indicate whether:

Neither short-term nor long-term breeding numbers trend estimate is available

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]
>>> 2010-2020

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	2,492
Maximum	3,370
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Great Crested Grebe / Podiceps cristatus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	52

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	140

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

Neither short-term nor long-term breeding numbers trend estimate is available

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	2
Maximum	2,546
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Black-necked Grebe / Podiceps nigricollis

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	662

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	679

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Population trend**Breeding numbers****Please indicate whether:** The species does not breed in the country**Passage and staging numbers****Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available**

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country? No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season? Yes**Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?** Yes**Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available**

Non-breeding/wintering numbers trend estimate is available for:

 Short-term trend**Short-term non-breeding/wintering numbers trend estimate****Trend period** [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2018

Short-term trend direction Fluctuating**Short-term trend magnitude** [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	105
Maximum	1,349
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate**Breeding range size and trend****Does the species occur in the country during the breeding season?** No**Greater Flamingo / Phoenicopterus roseus****Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** The species does not breed in the country**Passage and staging numbers****Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate****Year or period** [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	896

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,070

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas

where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	30
Maximum	1,070
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Western Water Rail / *Rallus aquaticus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Corncrake / *Crex crex*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Spotted Crake / *Porzana porzana*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Little Crake / *Zapornia parva*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Baillon's Crake / Zapornia pusilla

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Common Moorhen / Gallinula chloropus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	654

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	425

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Population trend

Breeding numbers

Please indicate whether:

Neither short-term nor long-term breeding numbers trend estimate is available

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	375
Maximum	807
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

Common Coot / Fulica atra

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	17,162

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	24,273

Type of estimate Best estimate**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Population trend**Breeding numbers****Please indicate whether:** Neither short-term nor long-term breeding numbers trend estimate is available**Passage and staging numbers****Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available**

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country? No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season? Yes**Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?** Yes**Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available**

Non-breeding/wintering numbers trend estimate is available for:

 Short-term trend**Short-term non-breeding/wintering numbers trend estimate****Trend period** [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction Fluctuating**Short-term trend magnitude** [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	6,190
Maximum	20,222
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

Yes

Short-term breeding range trend estimate

Long-term breeding range trend estimate

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> The species is relatively a new breeder and the number of pairs is increasing

Demoiselle Crane / *Anthropoides virgo*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Common Crane / *Grus grus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2021

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	55000

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on extrapolation from a limited amount of data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	50000

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on expert opinion with very limited data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Long-term trend

Short-term non-breeding/wintering numbers trend estimate

Long-term non-breeding/wintering numbers trend estimate

Trend period [since ca. 1980 or a period as close as possible to that]

>>> 1996-2021

Long-term trend direction

Increasing

Long-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Black Stork / Ciconia nigra

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2,427

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,195

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Method used for short-term breeding numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term breeding numbers trend estimate

White Stork / *Ciconia ciconia*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2021

Population unit Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2

Type of estimate Best estimate**Method used for breeding numbers estimate** Complete survey or a statistically robust estimate**Sources of information**

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Passage and staging numbers**Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate****Year or period** [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	421

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details,

etc.]
>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	24

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and

indicate them as such.]

Minimum	
Maximum	
Best single value	

Long-term breeding numbers trend estimate

Eurasian Spoonbill / *Platalea leucorodia*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	615

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	536

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

--	--

Minimum	
Maximum	
Best single value	

Long-term non-breeding/wintering numbers trend estimate

Northern Bald Ibis / *Geronticus eremita*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Glossy Ibis / *Plegadis falcinellus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

--	--

Minimum	
Maximum	
Best single value	4200

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	3,871

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12

years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]
>>> 2000-2020

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Long-term non-breeding/wintering numbers trend estimate

Eurasian Bittern / Botaurus stellaris

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Common Little Bittern / Ixobrychus minutus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Black-crowned Night-heron / *Nycticorax nycticorax*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	178

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	380

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Squacco Heron / *Ardeola ralloides*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	30

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** Previous non-breeding/wintering numbers estimate is available**Year or period** [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	19

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates**Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?** Yes**Please clarify the nature of change** [More than one option from the list below is possible] Due to genuine change The nature of change is not known**Please indicate which reason for change is predominant** Due to genuine change**Additional information (optional)****Please provide any additional or complementary information to the data provided above in this section, if available**

>>> Small increase over the years

Cattle Egret / Bubulcus ibis**Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available**

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Grey Heron / *Ardea cinerea*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	5,561

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** Previous non-breeding/wintering numbers estimate is available**Year or period** [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	5,486

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Purple Heron / Ardea purpurea**Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** No breeding numbers estimate is available**Passage and staging numbers****Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate**

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	51

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	51

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Great White Egret / Ardea alba

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	3,404

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	3,477

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Little Egret / *Egretta garzetta*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,318

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,304

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Dalmatian Pelican / *Pelecanus crispus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Great White Pelican / *Pelecanus onocrotalus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted

migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

Latest passage numbers estimate

Year or period

[Year or period when numbers were last determined]

>>> 2020

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	51,500

Type of estimate

Best estimate

Method used for passage numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous passage numbers estimate

Please indicate whether a previous estimate of passage numbers is available

Previous passage numbers estimate is available

Year or period

[Year or period when numbers were previously determined]

>>> 2019

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	51,000

Type of estimate

Best estimate

Method used for passage numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the passage numbers estimates

Has there been a change between the previous and the latest passage numbers estimate?

Yes

Please clarify the nature of change

[More than one option from the list below is possible]

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Latest staging numbers estimate

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	617

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1000

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Long-term trend

Long-term passage numbers trend estimate

Long-term trend direction

Increasing

Long-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Long-term trend

Short-term non-breeding/wintering numbers trend estimate

Long-term non-breeding/wintering numbers trend estimate

Trend period [since ca. 1980 or a period as close as possible to that]

>>> 1966-2020

Long-term trend direction

Fluctuating

Long-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	22
Maximum	3033
Best single value	

Method used for long-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Pygmy Cormorant / *Microcarbo pygmaeus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Population unit

Males

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1100

Type of estimate

Best estimate

Method used for breeding numbers estimate Complete survey or a statistically robust estimate**Sources of information**

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous breeding numbers estimate**Please indicate whether a previous estimate of the breeding numbers is available** Previous breeding numbers estimate is available**Year or period**

[Year or period when numbers were previously determined]

>>> 2019

Population unit Males

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	823

Type of estimate Best estimate**Method used for breeding numbers estimate** Complete survey or a statistically robust estimate**Sources of information**

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the breeding numbers estimates**Has there been a change between the previous and the latest breeding numbers estimate?** Yes**Please clarify the nature of change**

[More than one option from the list below is possible]

 Due to genuine change The nature of change is not known**Please indicate which reason for change is predominant** Due to genuine change**Passage and staging numbers****Does the species migrate through the country?** No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,239

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,714

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

Due to genuine change

Please indicate which reason for change is predominant

Due to genuine change

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Long-term trend

Short-term breeding numbers trend estimate

Long-term breeding numbers trend estimate

Trend period [since ca. 1980 or a period as close as possible to that]

>>> 1992-2020

Long-term trend direction

Increasing

Long-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Great Cormorant / Phalacrocorax carbo

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2021

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	16,449

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	15371

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

Due to genuine change

The nature of change is not known

Please indicate which reason for change is predominant

Due to genuine change

Eurasian Oystercatcher / *Haematopus ostralegus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Pied Avocet / *Recurvirostra avosetta*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

--	--

Minimum	
Maximum	
Best single value	492

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	533

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Black-winged Stilt / Himantopus himantopus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,436

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,181

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Grey Plover / *Pluvialis squatarola*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	10

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is

available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	45

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Eurasian Golden Plover / *Pluvialis apricaria***Population Size****Breeding numbers**

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Eurasian Dotterel / *Eudromias morinellus***Population Size****Breeding numbers**

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Common Ringed Plover / Charadrius hiaticula

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	461

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	980

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Little Ringed Plover / Charadrius dubius

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Kentish Plover / Charadrius alexandrinus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	209

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	120

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details,

etc.]
>>> INPA

Greater Sandplover / Charadrius leschenaultii

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Caspian Plover / Charadrius asiaticus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Northern Lapwing / Vanellus vanellus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas

where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	2,849

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1,996

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Spur-winged Lapwing / Vanellus spinosus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	5,432

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	3,570

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

Due to genuine change

Please indicate which reason for change is predominant

Due to genuine change

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> The breeding and wintering population is constantly increasing

Sociable Lapwing / *Vanellus gregarius*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2021

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	7

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details,

etc.]
>>> INPA

White-tailed Lapwing / Vanellus leucurus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Whimbrel / Numenius phaeopus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Eurasian Curlew / Numenius arquata

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Ruddy Turnstone / *Arenaria interpres*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Ruff / *Calidris pugnax*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	469

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	405

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Broad-billed Sandpiper / Calidris falcinellus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Curlew Sandpiper / *Calidris ferruginea*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Temminck's Stint / *Calidris temminckii*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	97

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	95

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Sanderling / *Calidris alba*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	0

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	0

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Dunlin / Calidris alpina**Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** The species does not breed in the country**Passage and staging numbers****Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate****Year or period** [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	368

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> inpa

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is**

available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	358

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Little Stint / *Calidris minuta***Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available**

The species does not breed in the country

Passage and staging numbers**Does the species migrate through the country?**

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate**Year or period** [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
---------	--

Maximum	
Best single value	962

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1212

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Eurasian Woodcock / *Scolopax rusticola*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Great Snipe / Gallinago media

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Common Snipe / Gallinago gallinago

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	250

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** Previous non-breeding/wintering numbers estimate is available**Year or period** [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	128

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Population trend**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season? Yes**Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?** Yes**Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available**

Non-breeding/wintering numbers trend estimate is available for:

 Long-term trend**Short-term non-breeding/wintering numbers trend estimate****Long-term non-breeding/wintering numbers trend estimate****Trend period** [since ca. 1980 or a period as close as possible to that]

>>> 2004-2020

Long-term trend direction Fluctuating**Long-term trend magnitude** [Percentage change over the period indicated above. Provide either

interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Jack Snipe / *Lymnocyptes minimus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Red-necked Phalarope / *Phalaropus lobatus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Terek Sandpiper / *Xenus cinereus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Common Sandpiper / *Actitis hypoleucos*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	229

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	185

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Green Sandpiper / *Tringa ochropus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	98

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	82

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Spotted Redshank / *Tringa erythropus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country? Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate****Year or period** [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	44

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** Previous non-breeding/wintering numbers estimate is available**Year or period** [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	70

Type of estimate Minimum

Method used for non-breeding/wintering numbers estimate Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Common Greenshank / Tringa nebularia**Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** The species does not breed in the country**Passage and staging numbers****Does the species migrate through the country?** Yes**Please indicate whether estimate of passage numbers is available** No passage numbers estimate is available**Please indicate whether estimate of staging numbers is available** No staging numbers estimate is available**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available Non-breeding/wintering numbers estimate is available**Latest non-breeding/wintering numbers estimate****Year or period** [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	123

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	66

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Common Redshank / Tringa totanus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	865

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate**Please indicate whether a previous estimate of the non-breeding/wintering numbers is available** Previous non-breeding/wintering numbers estimate is available**Year or period** [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	884

Type of estimate Minimum**Method used for non-breeding/wintering numbers estimate** Complete survey or a statistically robust estimate**Sources of information** [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Little Gull / Hydrocoloeus minutus**Population Size****Breeding numbers****Please indicate whether estimate of the breeding numbers is available** The species does not breed in the country**Passage and staging numbers****Does the species migrate through the country?** No**Non-breeding/wintering numbers**

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available The species does not occur in the country during the non-breeding/winter season**Slender-billed Gull / Larus genei****Population Size****Breeding numbers**

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	161

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	

Best single value	216
-------------------	-----

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Pallas's Gull / Larus ichthyaetus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	381

Type of estimate

Minimum

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is

available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	952

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

Yes

Please clarify the nature of change [More than one option from the list below is possible]

Due to genuine change

Please indicate which reason for change is predominant

Due to genuine change

Mediterranean Gull / *Larus melanocephalus***Population Size****Breeding numbers**

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Mew Gull / *Larus canus***Population Size****Breeding numbers**

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Lesser Black-backed Gull / *Larus fuscus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Armenian Gull / *Larus armenicus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	5,373

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	6,345

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> Probably the numbers are much higher but since it is hard to distinguish from Yellow-legs gulls, especially juveniles and immatures, it is counted as unidentified Yellow-legged gull.

Caspian Gull / *Larus cachinnans*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Bridled Tern / *Onychoprion anaethetus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Little Tern / *Sternula albifrons*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2010-2021

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	225

Type of estimate

- Multi-year mean

Method used for breeding numbers estimate

- Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA and SPNI project report

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

- No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

- Yes

Please indicate whether estimate of passage numbers is available

- No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

- No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

- The species does not occur in the country during the non-breeding/winter season

Breeding range size and trend

Does the species occur in the country during the breeding season?

- Yes

Is range size and/or short-term and/or long-term range trend estimate available?

- Yes

Please indicate whether estimate of the breeding range size and short-term (last 12 years) and/or long-term (since ca. 1980) range trend is available

The following estimates are available:

- Short-term trend of the range
 Long-term trend of the range

Short-term breeding range trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2021

Short-term trend direction

- Stable

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Method used for short-term range trend estimate

Complete survey or a statistically robust estimate

Long-term breeding range trend estimate

Trend period [since ca. 1980 or a period as close as possible to that]

>>> 2010-2020

Long-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA and SPNI project report

Caspian Tern / Hydroprogne caspia

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	6

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	0

Type of estimate

Minimum

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Whiskered Tern / Chlidonias hybridus

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	85

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> 2020

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	92

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

White-winged Tern / *Chlidonias leucopterus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	29

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

--	--

Minimum	
Maximum	
Best single value	165

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2020

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	1
Maximum	165
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Long-term non-breeding/wintering numbers trend estimate

Black Tern / *Chlidonias niger*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Common Tern / *Sterna hirundo*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2021

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	850
Maximum	950
Best single value	

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Project report (2010-2019): Conservation of the breeding terns in Israel

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

Previous breeding numbers estimate is available

Year or period

[Year or period when numbers were previously determined]

>>> 2018

Population unit

Pairs

Numbers [(Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	1100

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Project report (2010-2019): Conservation of the breeding terns in Israel

Changes in the breeding numbers estimates

Has there been a change between the previous and the latest breeding numbers estimate?

No

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]
>>> 2010-2021

Short-term trend direction

Increasing

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	800
Maximum	1100
Best single value	

Method used for short-term breeding numbers trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Project report (2010-2019): Conservation of the breeding terns in Israel

Long-term breeding numbers trend estimate

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

No

White-cheeked Tern / *Sterna repressa*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Lesser Crested Tern / *Thalasseus bengalensis*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

Sandwich Tern / *Thalasseus sandvicensis*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	16

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

Previous non-breeding/wintering numbers estimate is available

Year or period [Year or period when numbers were previously determined]

>>> 2019

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	120

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA's ecological data base

Changes in the non-breeding/wintering numbers estimates

Has there been a change between the previous and the latest non-breeding/wintering numbers estimate?

No

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 2010-2018

Short-term trend direction

Fluctuating

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	4
Maximum	192
Best single value	

Method used for short-term non-breeding/wintering numbers trend estimate

Complete survey or a statistically robust estimate

Long-term non-breeding/wintering numbers trend estimate

Breeding range size and trend

Does the species occur in the country during the breeding season?

No

Greater Crested Tern / *Thalasseus bergii*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Passage and staging numbers

Does the species migrate through the country?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

The species does not occur in the country during the non-breeding/winter season

4. NON-NATIVE WATERBIRD SPECIES

Please select from the drop-down list below only the non-native species that occur in your country. This list contains the non-native waterbird species that have been identified to occur in the Agreement area. Should any additional species occur in your country, please contact the UNEP/AEWA Secretariat. Please note that some species are listed under AEWA and are native in some parts of the Agreement area, but are non-native in others.

Egyptian Goose / *Alopochen aegyptiacus*

Confirmation of species occurrence

Please confirm the occurrence of the species in the country

The species occurs in the country

Population size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> The species is spreading. Yet, most breeding is in man-made water bodies in/or near settlements.

Non-breeding/wintering numbers

[Non-breeding/wintering distribution in the case of non-native waterbird species is defined as any areas where the species occurs outside of the breeding season]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 2010-2020

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	96

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> INPA

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

5. CONFIRMATION

Confirmation of information verification and approval for submission.

***Please confirm:**

In addition a scanned copy of an official letter from the relevant state institution, approving the report for submission, can be attached.

I declare that the information provided in the Report on the population size and trend of AEWA-listed (native) and non-native waterbird species in the Agreement area for the period 2013-2018 has been verified and the report has been approved for submission by the appropriate state institution in the country.

***Date of submission**

>>> 30/4/2020