



Report on the status of waterbird populations in the AEWA area for the period 2013-2018

Through Resolution 7.1, the 7th Session of the Meeting of the Parties (MOP7) to AEWA adopted, amongst other things, the format for national reports on the implementation of AEWA for the period 2018-2020 as presented in document AEWA/MOP 7.17.

Document AEWA/MOP 7.17 envisages a module on the status of native and non-native waterbird species, but it was agreed that this module will be developed by the Technical Committee and approved by the Standing Committee in early 2019. The format for reporting on Article 12 of the European Union's Birds Directive (EU BD) for the period 2013-2018 was agreed as the basis for this module, while focusing only on some fields of the EU reporting template, notably those in Annex B, chapters 1-5.

The alignment of the AEWA population status reporting module with the EU BD Article 12 template for 2013-2018 will, on the one hand, allow reporting of all necessary information by the AEWA Contracting Parties needed for the assessment of the status of AEWA populations, and, on the other hand, will require the EU members states that are Contracting Parties to AEWA to report only once their national data for the native species listed in Annex 2 of AEWA, providing that access to the EU BD Article 12 national reports will be granted to the UNEP/AEWA Secretariat. If any EU Member State with overseas territories within the AEWA area has not reported on the AEWA-listed species in those territories, data should be submitted through the AEWA reporting process.

Unlike the EU BD Article 12 template, the AEWA population status reporting module should request similar type of information for non-native waterbird species as for native species. The EU members states will therefore, like all other AEWA Contracting Parties, need to fill out the AEWA population status reporting module with respect to the status of the non-native waterbird species occurring in their territories, including overseas territories within the AEWA area.

In order to be able to use the national data reported by the AEWA Contracting Parties for the 8th edition of the AEWA Conservation Status Report, this reporting module has been set up separately in the CMS Family Online Reporting System and the deadline for submission of the national population status reports has been set by MOP7 at 30 June 2020.

1. GENERAL INFORMATION

Name of reporting Contracting Party

>>> Macedonia

Date of entry into force of AEWA in the Contracting Party

>>> 01.02.2000

2. INSTITUTIONAL INFORMATION

Please indicate the Designated National Respondent (DNR) and the other contributors to the Report on the population size and trend of AEWA-listed (native) and non-native waterbird species in the Agreement area for the period 2013-2018.

Name and title of the DNR

>>> Branko Micevski

Affiliation (institution, department, organisation)

>>> Bird Study and Protection Society of Macedonia; Macedonian Bonn Committee;

Mailing address - Street and number

>>> Blvd. Februarski Pohod- 24/47, Skopje 1000, Macedonia ASNOM

Postal code

>>> 1000

City

>>> Skopje

Country

>>> Macedonia

Telephone

>>> +389 71 338 254; +389 22 432 071; +389 22 400 276

Fax

>>> +389 22 400 276

E-mail

>>> brankom@ukim.edu.mk

Website

>>> <http://www.birdprotection.org.mk/>

Other contributors to this report

Please list the names and affiliations (institution, organisation) of the other contributors to this report

Please list the names and affiliations (institution, organisation) of the other contributors to this report

>>> Isuf Fetaj, Ministry of Environment and physical planning

3. AEWA-LISTED (NATIVE) WATERBIRD SPECIES

Please report on each species in the drop-down menu. This list contains all AEWA waterbird species that occur in your country. Should you identify any omissions, please contact the UNEP/AEWA Secretariat.

North Macedonia

Mute Swan / *Cygnus olor*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Population unit

Pairs

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	10
Maximum	10
Best single value	10

Type of estimate

Best estimate

Method used for breeding numbers estimate

Complete survey or a statistically robust estimate

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Micevski, B., 2003

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

No passage numbers estimate is available

Please indicate whether estimate of staging numbers is available

No staging numbers estimate is available

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

Short-term and/or long-term breeding numbers trend estimate is available

Please indicate whether estimate of the breeding numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Breeding numbers trend estimate is available for:

Short-term trend

Short-term breeding numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> 10 pairs

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	10
Maximum	10
Best single value	10

Method used for short-term breeding numbers trend estimate

Complete survey or a statistically robust estimate

Long-term breeding numbers trend estimate

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> -

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

No

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

No

Breeding range size and trend

Does the species occur in the country during the breeding season?

Yes

Is range size and/or short-term and/or long-term range trend estimate available?

Yes

Please indicate whether estimate of the breeding range size and short-term (last 12 years) and/or long-term (since ca. 1980) range trend is available

The following estimates are available:

Long-term trend of the range

Short-term breeding range trend estimate

Long-term breeding range trend estimate

Long-term trend direction

Stable

Long-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	10

Method used for long-term range trend estimate

Complete survey or a statistically robust estimate

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Micevski, B., 2003

Greater Flamingo / *Phoenicopterus roseus*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed in the country

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Please indicate whether estimate of the non-breeding/wintering numbers is available

No non-breeding/wintering numbers estimate is available

Population trend

Breeding numbers

Please indicate whether:

The species does not breed in the country

Passage and staging numbers

Please indicate whether estimate of the short-term (last 12 years) and/or long-term (since ca. 1980) trend of passage and/or staging numbers is available

[Passage numbers trends are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans and cranes]

[Staging numbers trends refer to the number of individuals that stopover in the country during migration]

Does the species migrate through the country?

Yes

Is short-term or long-term trend estimate of passage numbers available?

Yes

Passage numbers trend estimate is available for:

Short-term trend

Short-term passage numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> Before this period

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	100
Maximum	100
Best single value	100

Method used for short-term trend estimate

Based mainly on expert opinion with very limited data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Micevski, 2004 (data from 1995!)

Long-term passage numbers trend estimate

Is short-term or long-term trend estimate of staging numbers available?

No

Non-breeding/wintering numbers

[Non-breeding/wintering distribution is the terminal destination of migration as opposed to other areas where birds pass through or stop-over at during non-breeding season movements]

Does the species occur in the country during the non-breeding/wintering season?

Yes

Is short-term and/or long-term non-breeding/wintering numbers trend estimate available?

Yes

Please indicate whether estimate of the non-breeding/wintering numbers short-term (last 12 years) and/or long-term (since ca. 1980) trend is available

Non-breeding/wintering numbers trend estimate is available for:

Short-term trend

Short-term non-breeding/wintering numbers trend estimate

Trend period [2007-2018 (12-year rolling time window) or a period as close as possible to that]

>>> before 2000

Short-term trend direction

Uncertain

Short-term trend magnitude [Percentage change over the period indicated above. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	
Maximum	
Best single value	

Long-term non-breeding/wintering numbers trend estimate

Sandwich Tern / *Thalasseus sandvicensis*

Population Size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

Breeding numbers estimate is available

Latest breeding numbers estimate

Year or period [Year or period when numbers were last determined]

>>> 1996

Numbers [Raw, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	5
Maximum	5
Best single value	

Type of estimate

Best estimate

Method used for breeding numbers estimate

Based mainly on expert opinion with very limited data

Sources of information

[Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Micevski, 2004

Previous breeding numbers estimate

Please indicate whether a previous estimate of the breeding numbers is available

No previous breeding numbers estimate is available

Passage and staging numbers

Does the species migrate through the country?

Yes

Please indicate whether estimate of passage numbers is available

Passage numbers estimate is available [Passage numbers are expected to be reported for a small number of species where it is feasible to determine the numbers of individuals passing through the country by applying targeted migration census in areas of relatively narrow migration corridors. This would include species such as storks, pelicans

and cranes]

Latest passage numbers estimate

Year or period

[Year or period when numbers were last determined]

>>> 1989, 1994

Passage numbers

[Individuals. Raw numbers, i.e. not rounded. Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	10
Maximum	10
Best single value	

Latest staging numbers estimate

4. NON-NATIVE WATERBIRD SPECIES

Please select from the drop-down list below only the non-native species that occur in your country. This list contains the non-native waterbird species that have been identified to occur in the Agreement area. Should any additional species occur in your country, please contact the UNEP/AEWA Secretariat. Please note that some species are listed under AEWA and are native in some parts of the Agreement area, but are non-native in others.

White-headed Duck / *Oxyura leucocephala*

Confirmation of species occurrence

Please confirm the occurrence of the species in the country

The species occurs in the country

Population size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> data are from before this reporting period

Non-breeding/wintering numbers

[Non-breeding/wintering distribution in the case of non-native waterbird species is defined as any areas where the species occurs outside of the breeding season]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> before this reporting period, 70 years ago

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	1
Maximum	1
Best single value	1

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on expert opinion with very limited data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Catalogus faunae Yougoslaviae, Aves

Previous non-breeding/wintering numbers estimate

Please indicate whether a previous estimate of the non-breeding/wintering numbers is available

No previous non-breeding/wintering numbers estimate is available

Common Shelduck / Tadorna tadorna

Confirmation of species occurrence

Please confirm the occurrence of the species in the country

The species occurs in the country

Population size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

The species does not breed and does not occur in the country during the breeding season

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> /

Population trend

Breeding numbers

Please indicate whether:

The species does not occur in the country during the breeding season

Non-breeding/wintering numbers

[Non-breeding/wintering distribution in the case of non-native waterbird species is defined as any areas where the species occurs outside of the breeding season]

Please indicate whether:

The species is recorded only occasionally during the non-breeding/wintering season

Is an estimate of trends of occasional records available?

No

Range size and trend

Breeding range

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> Records are from before this reporting period

Non-breeding/wintering range

[Non-breeding/wintering distribution in the case of non-native waterbird species is defined as any areas where the species occurs outside of the breeding season]

Please indicate whether:

Neither range size nor short-term nor long-term range trend estimate is available

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> /

National legal and Red List status

National Legal Status

Does the species have any national protection or other legal status?

Yes

Please provide details

>>> Law on hunting

National Red List Status

Does the species have any National Red List status?

No

Marbled Teal / *Marmaronetta angustirostris*

Confirmation of species occurrence

Please confirm the occurrence of the species in the country

The species occurs in the country

Population size

Breeding numbers

Please indicate whether estimate of the breeding numbers is available

No breeding numbers estimate is available

Additional information (optional)

Please provide any additional or complementary information to the data provided above in this section, if available

>>> /

Non-breeding/wintering numbers

[Non-breeding/wintering distribution in the case of non-native waterbird species is defined as any areas where the species occurs outside of the breeding season]

Please indicate whether estimate of the non-breeding/wintering numbers is available

Non-breeding/wintering numbers estimate is available

Latest non-breeding/wintering numbers estimate

Year or period [Year or period when numbers were last determined]

>>> before this reporting period

Numbers [Individuals. Raw numbers, i.e. not rounded). Provide either interval (minimum - maximum) and/or best single value. In cases when only best single value is available, ideally provide lower and upper confidence limits in the data fields for minimum and maximum and indicate them as such.]

Minimum	a few
Maximum	a few
Best single value	a few

Type of estimate

Best estimate

Method used for non-breeding/wintering numbers estimate

Based mainly on expert opinion with very limited data

Sources of information [Provide bibliographic references, link to Internet sites, expert contact details, etc.]

>>> Branko Micevski from the old data reported

5. CONFIRMATION

Confirmation of information verification and approval for submission.

***Please confirm:**

In addition a scanned copy of an official letter from the relevant state institution, approving the report for submission, can be attached.

You have attached the following documents to this answer.

[letter to AEWA.pdf](#)

***Date of submission**

>>> 29.04.2021

You have attached the following documents to this answer.

[letter to AEWA.pdf](#)