

Annex 5: Coherence of the protected area network covering the Critical Sites for waterbird populations in the Agreement Area¹

Keys:
Br: Breeding
NBr: Non-breeding

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Actitis hypoleucos	E Europe, W Asia (bre)				Adequate	Without replication in all subregions	No relevant subregions represented	
Actitis hypoleucos	N, W & C Europe (bre)							
Actophilornis africanus	Sub-Saharan Africa							
Actophilornis albinucha	Madagascar							
Aenigmatolimnas marginalis	Sub-Saharan Africa							
Alopochen aegyptiaca	E & S Africa				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Alopochen aegyptiaca	W Africa							
Amaurornis flavirostra	Sub-Saharan Africa				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Amaurornis olivieri	Madagascar	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Anas acuta	Black Sea, Mediterranean, W Africa (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Anas acuta	NW Europe (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas acuta	SW Asia, E & NE Africa (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Anas bernieri	W Madagascar	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas capensis	E Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas capensis	Lake Chad							
Anas capensis	S Africa				Adequate	Without replication in all subregions	No relevant subregions represented	
Anas clypeata	Black Sea, Mediterranean, W Africa (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Anas clypeata	NW & C Europe (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Anas clypeata	SW Asia, NE & E Africa (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Anas crecca	crecca, Black Sea, Mediterranean (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	NBr

¹ The table contains all waterebird populations included in the CSN Tool, but only the 522 AEWA populations included into the tool were used in calculation of statistics in the main report.

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Anas crecca	crecca, NW Europe (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas crecca	crecca, SW Asia, NE Africa (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas erythrorhyncha	E Africa				Inadequate	Without replication in all subregions	No relevant subregions represented	
Anas erythrorhyncha	Madagascar				Inadequate	Without replication in all subregions	No relevant subregions represented	
Anas erythrorhyncha	S Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Anas hottentota	Chad Basin							
Anas hottentota	E Africa				Adequate	Without replication in all subregions	No relevant subregions represented	
Anas hottentota	Madagascar	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Anas hottentota	S Africa	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Anas melleri	Madagascar	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas penelope	Black Sea, Mediterranean (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anas penelope	NW Europe (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anas penelope	SW Asia, NE Africa (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anas platyrhynchos	conboschas							
Anas platyrhynchos	platyrhynchos, Black Sea, E Mediterranean (non-bre)	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anas platyrhynchos	platyrhynchos, NW Europe (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	NBr
Anas platyrhynchos	platyrhynchos, SW Asia (non-bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas platyrhynchos	platyrhynchos, W Mediterranean (non-bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas querquedula	SW Asia, NE Africa (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Anas querquedula	W Africa (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Anas smithii	S Africa				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anas sparsa	(leucostigma) Guinea							

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Anas sparsa	leucostigma, Cameroon, Nigeria							
Anas sparsa	leucostigma, E Africa							
Anas sparsa	leucostigma, Ethiopian Highlands							
Anas sparsa	maclatchyi							
Anas sparsa	sparsa	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Anas strepera	strepera, C Europe, Black Sea, Mediterranean (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Anas strepera	strepera, NW Europe (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas strepera	strepera, SW Asia, NE Africa (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anas undulata	(rueppelli) Cameroon & Nigeria	Inadequate	Without replication in all subregions	No relevant subregions represented				
Anas undulata	rueppelli NE Africa				Inadequate	Without replication in all subregions	No relevant subregions represented	
Anas undulata	undulata, E Africa							
Anas undulata	undulata, S Africa	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Anastomus lamelligerus	lamelligerus	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	Some subregions represented	NBr
Anastomus lamelligerus	madagascariensis	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Anhinga rufa	(chantrei)				Adequate	Without replication in all subregions	No relevant subregions represented	
Anhinga rufa	rufa, S & E Africa	Inadequate	Without replication in all subregions	No relevant subregions represented				
Anhinga rufa	rufa, W Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anhinga rufa	vulsini	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Anous stolidus	plumbeigularis	Inadequate	Without replication in all subregions	Some subregions represented				Br
Anous stolidus	stolidus	Inadequate	Without replication in all subregions	No relevant subregions represented				
Anous tenuirostris	tenuirostris	Adequate	With replication in all subregions	All relevant subregions represented				Br
Anser albifrons	albifrons, Baltic - North Sea	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anser albifrons	albifrons, Caspian, Iran, Iraq (non-bre)				Adequate	With replication in all subregions	All relevant subregions represented	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Anser albifrons	albifrons, Pannonic				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anser albifrons	albifrons, Pontic-Anatolian	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anser albifrons	flavirostris	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anser anser	anser, C Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Anser anser	anser, Iceland (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anser anser	anser, NW Europe (bre)				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Anser anser	anser, NW Scotland	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anser anser	rubrirostris, Black Sea, Turkey	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anser anser	rubrirostris, Caspian, Iraq (non-bre)	Inadequate	With replication in some subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anser brachyrhynchus	Greenland, Iceland (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Anser brachyrhynchus	Svalbard (bre)				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Anser erythropus	C & E Siberia				Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Anser erythropus	Fennoscandia (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Anser erythropus	N Europe, W Siberia (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	NBr
Anser fabalis	fabalis NW Europe (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Anser fabalis	rossicus	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Ardea cinerea	cinerea, C & E Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Ardea cinerea	cinerea, Central & SW Asia							
Ardea cinerea	cinerea, Sub-Saharan Africa (bre)							
Ardea cinerea	cinerea, W Europe, NW Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Ardea cinerea	firasa	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Ardea cinerea	monicae							

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Ardea goliath	Sub-Saharan Africa	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	Some subregions represented	Br/NBr
Ardea goliath	SW Asia	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Ardea humbloti	Madagascar	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Ardea melanocephala	Africa							
Ardea purpurea	bournei							
Ardea purpurea	madagascariensis							
Ardea purpurea	purpurea, C & E Europe, Black Sea, Mediterranean				Adequate	Without replication in all subregions	No relevant subregions represented	
Ardea purpurea	purpurea, SW & NW Europe, NW Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Ardea purpurea	purpurea, SW Asia (bre)	Adequate	With replication in some subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Ardea purpurea	purpurea, Tropical Africa (bre)				Adequate	Without replication in all subregions	No relevant subregions represented	
Ardeola idae	Madagascar	Inadequate	With replication in some subregions	Some subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Ardeola ralloides	paludivaga	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	Some subregions represented	Br/NBr
Ardeola ralloides	ralloides, C & E Europe, Black Sea & E Mediterranean (bre)	Adequate	With replication in some subregions	Some subregions represented				Br
Ardeola ralloides	ralloides, SW Asia (bre)	Inadequate	With replication in all subregions	All relevant subregions represented				Br
Ardeola ralloides	ralloides, SW Europe, NW Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Ardeola rufiventris	E & S Africa				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Arenaria interpres	interpres, Fennoscandia, NW Russia (bre)	Adequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Arenaria interpres	interpres, NE Canada, Greenland (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Arenaria interpres	interpres, SW Asia, E & S Africa (non-bre)				Adequate	With replication in some subregions	Some subregions represented	NBr
Atlantisia rogersi	Inaccessible Is	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Aythya ferina	C Europe, Black Sea, Mediterranean (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Aythya ferina	NE & NW Europe (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Aythya ferina	SW Asia (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Aythya fuligula	C Europe, Black Sea, Mediterranean (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Aythya fuligula	NW Europe (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Aythya fuligula	SW Asia, NE Africa (non-bre)				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Aythya innotata	Madagascar	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Aythya marila	marila, Black & Caspian Seas (non-bre)				Adequate	With replication in some subregions	Some subregions represented	NBr
Aythya marila	marila, W Europe (non-bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Aythya nyroca	E Europe, E Mediterranean, Black Sea (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Aythya nyroca	N & W Africa (non-bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
Aythya nyroca	SW Asia & NE Africa (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Balaeniceps rex	C Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Balearica pavonina	ceciliae				Inadequate	Without replication in all subregions	Some subregions represented	NBr
Balearica pavonina	pavonina				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Balearica regulorum	gibbericeps							
Balearica regulorum	regulorum				Inadequate	Without replication in all subregions	No relevant subregions represented	
Bostrychia bocagei	São Tomé	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Bostrychia carunculata	Ethiopia				Inadequate	Without replication in all subregions	No relevant subregions represented	
Bostrychia hagedash	(erlangeri)							
Bostrychia hagedash	brevirostris							
Bostrychia hagedash	hagedash	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Bostrychia hagedash	nilotica							
Bostrychia olivacea	akleyorum							
Bostrychia olivacea	cupreipennis							

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Bostrychia olivacea	olivacea							
Bostrychia olivacea	rothschildi							
Bostrychia rara	C Africa							
Bostrychia rara	W Africa							
Botaurus stellaris	capensis	Adequate	Without replication in all subregions	All relevant subregions represented				Br
Botaurus stellaris	stellaris, C & E Europe, Black Sea, E Mediterranean (bre)	Adequate	With replication in all subregions	All relevant subregions represented				Br
Botaurus stellaris	stellaris, W & Central Asia (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented				
Botaurus stellaris	stellaris, W Europe, NW Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Branta bernicla	bernicla	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Branta bernicla	hrota, Ireland (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Branta bernicla	hrota, Svalbard, N Greenland (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Branta leucopsis	E Greenland (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Branta leucopsis	N Russia, E Baltic (bre)	Inadequate	With replication in some subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Branta leucopsis	Svalbard (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Branta ruficollis	N C Russia to E Europe	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Bubulcus ibis	ibis, E Mediterranean, SW Asia (bre)	Adequate	With replication in some subregions	Some subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
Bubulcus ibis	ibis, NW Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Bubulcus ibis	ibis, S Africa				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Bubulcus ibis	ibis, SW Europe	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Bubulcus ibis	ibis, Tropical Africa	Inadequate	Without replication in all subregions	Some subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Bubulcus ibis	seychellarum							
Bucephala clangula	clangula, Black Sea (non-bre)	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	NBr
Bucephala clangula	clangula, NW, Central Europe (non-bre)				Inadequate	With replication in some subregions	All relevant subregions represented	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Bucephala clangula	clangula, SE Europe, Adriatic (non-bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Bucephala clangula	clangula, W Siberia (bre)				Adequate	Without replication in all subregions	Some subregions represented	NBr
Burhinus senegalensis	(inornatus)							
Burhinus senegalensis	senegalensis							
Burhinus vermiculatus	buttikoferi							
Burhinus vermiculatus	vermiculatus							
Butorides striata	atricapilla							
Butorides striata	brevipes							
Butorides striata	crawfordi							
Butorides striata	degens							
Butorides striata	rhizophorae							
Butorides striata	rutenbergi							
Calidris alba	E Atlantic (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Calidris alba	SW Asia, E & S Africa (non-bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Calidris alpina	alpina	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	NBr
Calidris alpina	arctica							
Calidris alpina	centralis, SW Asia, NE Africa, E Mediterranean (non-bre)				Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Calidris alpina	schinzii, Baltic (bre)	Adequate	With replication in some subregions	All relevant subregions represented				Br
Calidris alpina	schinzii, Britain & Ireland (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Calidris alpina	schinzii, Iceland (bre)				Adequate	Without replication in all subregions	Some subregions represented	NBr
Calidris canutus	canutus				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Calidris canutus	islandica				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Calidris ferruginea	E & S Africa (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Calidris ferruginea	W Africa (non-bre)				Inadequate	With replication in some subregions	All relevant subregions represented	NBr
Calidris maritima	littoralis				Adequate	Without replication in all subregions	No relevant subregions represented	

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Calidris maritima	maritima, NE Canada & NE Greenland (bre)							
Calidris maritima	maritima, NE Europe & W Siberia (bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Calidris maritima	maritima, West Greenland							
Calidris minuta	Europe & West Africa (non-bre)				Adequate	With replication in some subregions	Some subregions represented	NBr
Calidris minuta	SW Asia, E & S Africa (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Calidris temminckii	Europe, W Africa (non-bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Calidris temminckii	SW Asia, E Africa (non-bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
Calidris tenuirostris	SW & W S Asia (non-bre)				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Canirallus kioloides	(bemaraha)							
Canirallus kioloides	berliozi							
Canirallus kioloides	kioloides							
Canirallus oculeus	Congo Basin							
Canirallus oculeus	W Africa							
Canirallus oculeus	West Central Africa							
Casmerodius albus	alba, SW Asia (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Casmerodius albus	alba, W, C & E Europe, Black Sea & E Mediterranean (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Casmerodius albus	melanorhynchos	Adequate	Without replication in all subregions	Some subregions represented	Adequate	Without replication in all subregions	Some subregions represented	Br/NBr
Charadrius alexandrinus	alexandrinus, Black Sea, E Mediterranean (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Charadrius alexandrinus	alexandrinus, E Atlantic, W Mediterranean	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Charadrius alexandrinus	alexandrinus, SW Asia (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Charadrius asiaticus	Central Asia (bre)				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Charadrius dubius	curonicus, E Europe, W Asia (bre)							
Charadrius dubius	curonicus, W, Central Europe, NW Africa (bre)				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Charadrius forbesi	Sub-Saharan Africa							
Charadrius hiaticula	(psammodroma)				Adequate	With replication in	All relevant subregions	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
						all subregions	represented	
Charadrius hiaticula	hiaticula	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Charadrius hiaticula	tundrae	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Charadrius leschenaultii	columbinus	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Charadrius leschenaultii	crassirostris				Inadequate	Without replication in all subregions	No relevant subregions represented	
Charadrius leschenaultii	leschenaultii, E Africa (non-bre)				Adequate	Without replication in all subregions	Some subregions represented	NBr
Charadrius marginatus	arenaceus SW African coast				Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Charadrius marginatus	arenaceus, SE African coast	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Charadrius marginatus	marginatus	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Charadrius marginatus	mechowi W Coast Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Charadrius marginatus	mechowi, West Africa							
Charadrius marginatus	mechowi-tenellus, Inland E & C Africa							
Charadrius marginatus	tenellus, Coastal E Africa				Inadequate	Without replication in all subregions	No relevant subregions represented	
Charadrius marginatus	tenellus, Madagascar	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Charadrius mongolus	pamirensis				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Charadrius pallidus	pallidus	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Charadrius pallidus	venustus				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Charadrius pecuarius	(allenbyi)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Charadrius pecuarius	pecuarius, E, C & S Africa				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Charadrius pecuarius	pecuarius, West Africa				Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Charadrius pecuarius	pecuarius, Madagascar				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Charadrius thoracicus	Madagascar				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Charadrius tricollaris	bifrontatus							
Charadrius tricollaris	tricollaris, E & S Africa							
Charadrius tricollaris	tricollaris, Lake Chad							
Chlidonias hybrida	hybrida, Central Asia (bre)	Adequate	With replication in some subregions	Some subregions represented				Br
Chlidonias hybrida	hybrida, E Europe, E Mediterranean (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	Some subregions represented	Br/NBr
Chlidonias hybrida	hybrida, W Europe, W Mediterranean (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Chlidonias hybrida	sclateri, East Africa				Inadequate	Without replication in all subregions	No relevant subregions represented	
Chlidonias hybrida	sclateri, Southern Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Chlidonias leucopterus	Africa (non-br)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	Some subregions represented	Br/NBr
Chlidonias niger	niger	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Ciconia abdimii	Africa				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Ciconia ciconia	ciconia, C & E Europe + Syria, Israel (bre)				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Ciconia ciconia	ciconia, South Africa (bre)							
Ciconia ciconia	ciconia, SW & W Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Ciconia ciconia	ciconia, W Asia (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	NBr
Ciconia episcopus	microscelis	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Ciconia nigra	C, E Europe (bre)				Inadequate	With replication in some subregions	All relevant subregions represented	NBr
Ciconia nigra	S Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Ciconia nigra	South Asia (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented				
Ciconia nigra	SW Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Clangula hyemalis	Iceland, Greenland (bre)							
Clangula hyemalis	W Siberia, N Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Crecopsis egregia	Sub-Saharan Africa							

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Crex crex	C & E Europe, Asia (bre)	Adequate	Without replication in all subregions	No relevant subregions represented				
Crex crex	W & NW Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented				Br
Cursorius rufus	(theresae)							
Cursorius rufus	rufus							
Cyanochen cyanoptera	Ethiopia	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Cygnus columbianus	bewickii, Caspian (non-bre)				Inadequate	With replication in some subregions	All relevant subregions represented	NBr
Cygnus columbianus	bewickii, NW Europe (non-bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Cygnus cygnus	Black Sea, E Mediterranean (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	NBr
Cygnus cygnus	Caspian, Central Asia (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Cygnus cygnus	Iceland (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Cygnus cygnus	N mainland Europe (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	NBr
Cygnus olor	Black Sea	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Cygnus olor	Britain				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Cygnus olor	Ireland	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Cygnus olor	NW, C Europe				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Cygnus olor	W & Central Asia, Caspian	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Dendrocygna bicolor	E & S Africa				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Dendrocygna bicolor	Madagascar	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Dendrocygna bicolor	W Africa				Adequate	With replication in some subregions	Some subregions represented	NBr
Dendrocygna viduata	E & S Africa				Adequate	Without replication in all subregions	No relevant subregions represented	
Dendrocygna viduata	Madagascar				Adequate	Without replication in all subregions	No relevant subregions represented	
Dendrocygna viduata	W Africa				Inadequate	With replication in some subregions	Some subregions represented	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Dromas ardeola	NW Indian Ocean	Adequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Dryolimnas cuvieri	aldabranus, Aldabra							
Dryolimnas cuvieri	aldabranus, Ile aux Cerdes, Aldabra							
Dryolimnas cuvieri	cuvieri, Madagascar							
Egretta ardesiaca	Africa	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Egretta dimorpha	dimorpha, Aldabra & Amirante Is	Adequate	Without replication in all subregions	All relevant subregions represented				Br
Egretta dimorpha	dimorpha, E African coast	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Egretta dimorpha	dimorpha, Madagascar	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Egretta garzetta	garzetta, C & E Europe, Black Sea, E Mediterranean (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Egretta garzetta	garzetta, Sub-Saharan Africa (bre)	Adequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Egretta garzetta	garzetta, W Asia (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Egretta garzetta	garzetta, W Europe, NW Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Egretta gularis	gularis	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Egretta gularis	schistacea, NE Africa, Red Sea							
Egretta gularis	schistacea, SW, South Asia	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Egretta vinaceigula	Southern Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Ephippiorhynchus senegalensis	Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Eudromias morinellus	Asia (bre)				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Eudromias morinellus	Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	Br
Fulica atra	atra, Black Sea, Mediterranean (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Fulica atra	atra, NW Europe (non-bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Fulica atra	atra, SW Asia (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Fulica cristata	E & S Africa	Inadequate	Without replication	No relevant subregions	Inadequate	With replication in	All relevant subregions	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
			in all subregions	represented		some subregions	represented	
Fulica cristata	Madagascar							
Fulica cristata	Morocco, Spain	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Gallinago gallinago	faeroeensis				Adequate	Without replication in all subregions	No relevant subregions represented	
Gallinago gallinago	gallinago, Europe (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented				
Gallinago gallinago	gallinago, W Siberia (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented				
Gallinago macrodactyla	Madagascar							
Gallinago media	Scandinavia (bre)	Adequate	With replication in all subregions	All relevant subregions represented				Br
Gallinago media	W Siberia, NE Europe (bre)							
Gallinago nigripennis	aequatoralis							
Gallinago nigripennis	angolensis							
Gallinago nigripennis	nigripennis	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Gallinago stenura	S, SW Asia, E Africa (non-bre)							
Gallinula angulata	Sub-Saharan Africa				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Gallinula chloropus	chloropus, Europe, N Africa (bre)							
Gallinula chloropus	chloropus, SW Asia (non-bre)							
Gallinula chloropus	meridionalis							
Gallinula chloropus	pyrrhorhoa							
Gavia adamsii	Arctic Siberia				Adequate	Without replication in all subregions	No relevant subregions represented	
Gavia arctica	(suschkini)							
Gavia arctica	arctica	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Gavia immer	N Europe (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Gavia stellata	Caspian, Black Sea, E Mediterranean (non-bre)							
Gavia stellata	NW Europe (non-bre)				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Geronticus eremita	Morocco	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Geronticus eremita	SW Asia	Inadequate	Without replication	No relevant subregions	Inadequate	Without replication	No relevant subregions	

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
			in all subregions	represented		in all subregions	represented	
Glareola cinerea	(colorata)				Inadequate	Without replication in all subregions	No relevant subregions represented	
Glareola cinerea	cinerea							
Glareola nordmanni	E Europe - Central Asia	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	NBr
Glareola nuchalis	liberiae							
Glareola nuchalis	nuchalis				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Glareola ocularis	Madagascar				Inadequate	Without replication in all subregions	No relevant subregions represented	
Glareola pratincola	(boweni)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Glareola pratincola	(erlangeri)							
Glareola pratincola	(limbata)							
Glareola pratincola	fuelleborni	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Glareola pratincola	pratincola, Black Sea, E Mediterranean (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Glareola pratincola	pratincola, SW Asia (bre)	Adequate	Without replication in all subregions	All relevant subregions represented				Br
Glareola pratincola	pratincola, W Mediterranean (bre)	Inadequate	With replication in some subregions	Some subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Gorsachius leuconotus	Africa							
Grus carunculatus	C-S Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Grus carunculatus	Ethiopia	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Grus carunculatus	South Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Grus grus	(lilfordi), Black Sea	Adequate	With replication in some subregions	Some subregions represented				Br
Grus grus	(lilfordi), India (non-bre)				Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Grus grus	grus, NE, C Europe (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Grus grus	grus, NW Europe (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Grus grus	grus, SW Asia, NE Africa (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
<i>Grus leucogeranus</i>	Western				Inadequate	With replication in some subregions	Some subregions represented	NBr
<i>Grus paradisea</i>	N Namibia	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
<i>Grus paradisea</i>	South Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
<i>Grus virgo</i>	Black Sea (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
<i>Grus virgo</i>	Kalmykia (bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	Some subregions represented	Br/NBr
<i>Grus virgo</i>	NW Africa (bre)							
<i>Grus virgo</i>	Turkey (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented				Br
<i>Grus virgo</i>	W Central Asia (bre)				Inadequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Haematopus moquini</i>	SE Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Haematopus ostralegus</i>	longipes	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Haematopus ostralegus</i>	ostralegus	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Himantopus himantopus</i>	(meridionalis)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Himantopus himantopus</i>	himantopus, Central & E Europe, E Mediterranean (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
<i>Himantopus himantopus</i>	himantopus, Madagascar							
<i>Himantopus himantopus</i>	himantopus, Sub-Saharan Africa				Adequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Himantopus himantopus</i>	himantopus, SW Asia (non-bre)	Adequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Himantopus himantopus</i>	himantopus, W & SW Europe, W Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Himantornis haematopus</i>	Africa							
<i>Ixobrychus minutus</i>	minutus, C & E Europe, Black Sea and E Mediterranean (bre)							
<i>Ixobrychus minutus</i>	minutus, South Asia							
<i>Ixobrychus minutus</i>	minutus, W & SW Asia (bre)							
<i>Ixobrychus minutus</i>	minutus, W Europe, NW Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Ixobrychus minutus</i>	payesii							

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
<i>Ixobrychus minutus</i>	podiceps							
<i>Ixobrychus sturmii</i>	Africa							
<i>Larus argentatus</i>	argentatus	Inadequate	With replication in some subregions	Some subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Larus argentatus</i>	argenteus	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Larus armenicus</i>	SE Europe, SW Asia	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	Some subregions represented	Br/NBr
<i>Larus audouinii</i>	Mediterranean (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Larus cachinnans</i>	atlantis	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
<i>Larus cachinnans</i>	cachinnans	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Larus cachinnans</i>	michahellis	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Larus canus</i>	canus	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Larus canus</i>	heinei	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	NBr
<i>Larus cirrocephalus</i>	poiocephalus, C & E Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	NBr
<i>Larus cirrocephalus</i>	poiocephalus, Madagascar	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
<i>Larus cirrocephalus</i>	poiocephalus, West Africa	Adequate	With replication in some subregions	Some subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Larus dominicanus</i>	melisandae							
<i>Larus dominicanus</i>	vetula	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Larus fuscus</i>	fuscus	Inadequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Larus fuscus</i>	graellsii	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Larus fuscus</i>	intermedius	Inadequate	With replication in all subregions	All relevant subregions represented				Br
<i>Larus genei</i>	Black Sea, Mediterranean	Adequate	With replication in some subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Larus genei</i>	W, SW & S Asia (bre)	Inadequate	With replication in some subregions	Some subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Larus genei</i>	West Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Larus glaucoides	glaucoides	Inadequate	Without replication in all subregions	No relevant subregions represented				
Larus hartlaubii	Southern Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Larus hemprichii	NW Indian Ocean, Red Sea	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Larus hyperboreus	hyperboreus	Adequate	Without replication in all subregions	Some subregions represented				Br
Larus hyperboreus	leuceretes	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Larus ichthyaetus	E Europe, W Asia (bre)	Adequate	Without replication in all subregions	All relevant subregions represented				Br
Larus leucophthalmus	Red Sea	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Larus marinus	Greenland							
Larus marinus	NE Atlantic	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Larus melanocephalus	Europe, SW Asia	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Larus minutus	Black, Caspian & E Mediterranean Seas (non-bre)	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Larus minutus	N, C & E Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Larus ridibundus	East Europe (bre)	Inadequate	Without replication in all subregions	Some subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Larus ridibundus	SW Asia, E Africa (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Larus ridibundus	West & Central Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Leptoptilos crumeniferus	Africa				Inadequate	With replication in some subregions	All relevant subregions represented	NBr
Limicola falcinellus	falcinellus	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	Some subregions represented	Br/NBr
Limosa lapponica	lapponica				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Limosa lapponica	taymyrensis, E Africa, SW, S Asia (non-bre)				Inadequate	With replication in some subregions	Some subregions represented	NBr
Limosa lapponica	taymyrensis, W, SW Africa (non-bre)				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Limosa limosa	islandica	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Limosa limosa	limosa, E Europe (bre)	Inadequate	With replication in	All relevant subregions	Inadequate	With replication in	Some subregions represented	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
			some subregions	represented		some subregions		
<i>Limosa limosa</i>	limosa, W Asia (bre)	Inadequate	Without replication in all subregions	Some subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Limosa limosa</i>	limosa, W Europe (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Lymnocyptes minimus</i>	Europe (bre)							
<i>Lymnocyptes minimus</i>	W Siberia (bre)							
<i>Marmaronetta angustirostris</i>	E Mediterranean	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Marmaronetta angustirostris</i>	South Asia (non-bre)							
<i>Marmaronetta angustirostris</i>	SW Asia (non-bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Marmaronetta angustirostris</i>	W Mediterranean, W Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Melanitta fusca</i>	fusca, Baltic, W Europe (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Melanitta fusca</i>	fusca, Black Sea (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Melanitta nigra</i>	nigra				Adequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Mergellus albellus</i>	Black Sea, E Mediterranean (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Mergellus albellus</i>	C & SW Asia (non-bre)				Adequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Mergellus albellus</i>	NW & C Europe (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Mergus merganser</i>	merganser, Balkans (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Mergus merganser</i>	merganser, Black Sea (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Mergus merganser</i>	merganser, Caspian Sea (non-bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Mergus merganser</i>	merganser, Central west Europe (bre)	Inadequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Mergus merganser</i>	merganser, Iceland				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
<i>Mergus merganser</i>	merganser, NW & C Europe (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Mergus serrator</i>	W & SE Greenland				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
<i>Mergus serrator</i>	Black Sea, Mediterranean (non-bre)	Inadequate	Without replication	No relevant subregions	Adequate	With replication in	All relevant subregions	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
			in all subregions	represented		some subregions	represented	
<i>Mergus serrator</i>	NW & C Europe (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	NBr
<i>Mergus serrator</i>	SW & C Asia (non-bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Mesophoyx intermedia</i>	brachyrhyncha	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	Some subregions represented	NBr
<i>Microparra capensis</i>	Sub-Saharan Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
<i>Morus capensis</i>	Southern Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Mycteria ibis</i>	Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	Some subregions represented	NBr
<i>Mycteria ibis</i>	Madagascar							
<i>Netta erythrophthalma</i>	brunnea	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	NBr
<i>Netta rufina</i>	Black Sea, E Mediterranean (non-bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Netta rufina</i>	C & SW Asia (non-bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Netta rufina</i>	C Europe & W Mediterranean	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Nettapus auritus</i>	Madagascar							
<i>Nettapus auritus</i>	S & E Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Nettapus auritus</i>	W Africa				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
<i>Numenius arquata</i>	arquata	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Numenius arquata</i>	orientalis, SW Asia, E Africa (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	NBr
<i>Numenius arquata</i>	suschkini							
<i>Numenius phaeopus</i>	alboaxillaris							
<i>Numenius phaeopus</i>	islandicus				Adequate	With replication in some subregions	All relevant subregions represented	NBr
<i>Numenius phaeopus</i>	phaeopus, NE Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Numenius phaeopus</i>	phaeopus, W Siberia (bre)							
<i>Numenius tenuirostris</i>	Mediterranean basin (non-bre)	Inadequate	Without replication in all subregions	Some subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Nycticorax nycticorax	nycticorax, C & E Europe, Black Sea, E Mediterranean (bre)	Adequate	With replication in some subregions	Some subregions represented	Adequate	Without replication in all subregions	Some subregions represented	Br/NBr
Nycticorax nycticorax	nycticorax, Sub-Saharan Africa, Madagascar (bre)							
Nycticorax nycticorax	nycticorax, W Asia (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
Nycticorax nycticorax	nycticorax, W Europe, NW Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Oxyura leucocephala	Algeria, Tunisia	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Oxyura leucocephala	E Mediterranean, SW Asia	Inadequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Oxyura leucocephala	South Asia (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	Some subregions represented	Br/NBr
Oxyura leucocephala	Spain, Morocco	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Oxyura maccoa	E Africa				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Oxyura maccoa	Ethiopian Highlands				Inadequate	Without replication in all subregions	No relevant subregions represented	
Oxyura maccoa	S Africa	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Pagophila eburnea	High Arctic							
Pelecanus crispus	Black Sea, Mediterranean (non-bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Pelecanus crispus	SW, S Asia (non-bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Pelecanus onocrotalus	Eastern Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Pelecanus onocrotalus	Europe, W Asia (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Pelecanus onocrotalus	Southern Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Pelecanus onocrotalus	W Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Pelecanus rufescens	rufescens	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	NBr
Phalacrocorax africanus	africanus, S, E Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Phalacrocorax africanus	africanus, W Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax africanus	pictilis				Inadequate	Without replication	No relevant subregions	

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
						in all subregions	represented	
Phalacrocorax aristotelis	aristotelis	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax aristotelis	desmarestii	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Phalacrocorax aristotelis	riggenbachi							
Phalacrocorax capensis	Southern Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax carbo	carbo, Greenland	Inadequate	Without replication in all subregions	No relevant subregions represented				
Phalacrocorax carbo	carbo, NW Europe	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax carbo	lucidus, C & E Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax carbo	lucidus, Coastal W Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax carbo	lucidus, S Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax carbo	maroccanus				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Phalacrocorax carbo	sinensis, Black Sea, Mediterranean	Adequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Phalacrocorax carbo	sinensis, N, C Europe	Adequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax carbo	sinensis, SW Asia (non-bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax coronatus	SW Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax neglectus	SW Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax nigrogularis	Arabian coast	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Phalacrocorax nigrogularis	Gulf of Aden	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Phalacrocorax pygmeus	SE Europe, Turkey	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Phalacrocorax pygmeus	SW Asia (non-bre)	Inadequate	With replication in some subregions	Some subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phalaropus fulicarius	Canada, Greenland, Iceland (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented				
Phalaropus lobatus	NW Eurasia (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	Some subregions represented	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Philomachus pugnax	E & S Africa (non-bre)				Inadequate	With replication in some subregions	Some subregions represented	NBr
Philomachus pugnax	W Africa (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	NBr
Phoenicopterus minor	E Africa	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phoenicopterus minor	S Africa	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phoenicopterus minor	W Africa				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Phoenicopterus roseus	Aldabra							
Phoenicopterus roseus	E Africa				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Phoenicopterus roseus	East Mediterranean	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phoenicopterus roseus	Mascarenes							
Phoenicopterus roseus	S Africa	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phoenicopterus roseus	South & Southwest Asia	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Phoenicopterus roseus	W Africa	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Phoenicopterus roseus	W Mediterranean	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Platalea alba	alba	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Platalea alba	Madagascar				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Platalea leucorodia	(major), SW, S Asia (non-bre)	Adequate	With replication in some subregions	All relevant subregions represented				Br
Platalea leucorodia	archeri	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Platalea leucorodia	balsaci	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Platalea leucorodia	leucorodia, C, SE Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Platalea leucorodia	leucorodia, E Atlantic	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Plectropterus gambensis	gambensis, E Africa				Inadequate	With replication in some subregions	Some subregions represented	NBr
Plectropterus gambensis	gambensis, W Africa				Inadequate	With replication in some subregions	Some subregions represented	NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Plectropterus gambensis	niger				Inadequate	Without replication in all subregions	No relevant subregions represented	
Plegadis falcinellus	falcinellus, E & S Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Plegadis falcinellus	falcinellus, Madagascar				Inadequate	Without replication in all subregions	No relevant subregions represented	
Plegadis falcinellus	falcinellus, Sub-Saharan Africa (bre)				Inadequate	Without replication in all subregions	Some subregions represented	NBr
Plegadis falcinellus	falcinellus, SW Asia (bre)	Inadequate	With replication in some subregions	Some subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Pluvialis apricaria	altifrons, Iceland & Faeroes (bre)				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Pluvialis apricaria	altifrons, N Europe, extreme W Siberia (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Pluvialis apricaria	altifrons, N-Central Siberia (bre)							
Pluvialis apricaria	apricaria	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Pluvialis fulva	SW & S Asia, E Africa (non-bre)							
Pluvialis squatarola	squatarola, E Atlantic (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Pluvialis squatarola	squatarola, SW Asia, E & S Africa (non-bre)				Adequate	With replication in some subregions	Some subregions represented	NBr
Pluvianus aegyptius	(angolae)							
Pluvianus aegyptius	aegyptius, East Africa							
Pluvianus aegyptius	aegyptius, West Africa							
Podica senegalensis	albipectus							
Podica senegalensis	camerunensis							
Podica senegalensis	petersii							
Podica senegalensis	senegalensis							
Podica senegalensis	somerini							
Podiceps auritus	auritus, Caspian, S Asia (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Podiceps auritus	auritus, NE Europe (small billed)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Podiceps auritus	auritus, NW Europe (large billed)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Podiceps cristatus	cristatus, Black Sea, Mediterranean (non-bre)	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Podiceps cristatus	cristatus, Caspian Sea (non-bre)	Adequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Podiceps cristatus	cristatus, N & W Europe (non-bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Podiceps cristatus	cristatus, South Asia (non-bre)							
Podiceps cristatus	infuscatus, E Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Podiceps cristatus	infuscatus, S Africa	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Podiceps grisegena	grisegena (balchashensis)							
Podiceps grisegena	grisegena, Black Sea, Mediterranean (non-bre)	Adequate	Without replication in all subregions	No relevant subregions represented				
Podiceps grisegena	grisegena, Caspian (non-bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Podiceps grisegena	grisegena, NW Europe (non-bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Podiceps nigricollis	gurneyi	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Podiceps nigricollis	nigricollis, E Africa				Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Podiceps nigricollis	nigricollis, Europe, N Africa	Adequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Podiceps nigricollis	nigricollis, SW & S Asia (non-bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Polysticta stelleri	N Norway, SE Baltic (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Porphyrio alleni	Sub-Saharan Africa				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Porphyrio porphyrio	caspius							
Porphyrio porphyrio	madagascariensis, E, C, S Africa							
Porphyrio porphyrio	madagascariensis, Egypt	Adequate	With replication in all subregions	All relevant subregions represented				Br
Porphyrio porphyrio	madagascariensis, Madagascar							
Porphyrio porphyrio	madagascariensis, W Africa				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Porphyrio porphyrio	porphyrio	Adequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Porphyrio porphyrio	seistanicus	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Porzana parva	(illustris)							
Porzana parva	parva	Adequate	Without replication in all subregions	All relevant subregions represented				Br

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Porzana porzana	C Europe & W Asia (bre)	Adequate	With replication in all subregions	All relevant subregions represented				Br
Porzana porzana	NC Asia (bre)							
Porzana porzana	W & NW Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Porzana pusilla	intermedia,	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Porzana pusilla	obscura							
Porzana pusilla	pusilla							
Pteronetta hartlaubii	W Africa							
Pteronetta hartlaubii	W Central Africa							
Rallus aquaticus	aquaticus	Adequate	Without replication in all subregions	All relevant subregions represented				Br
Rallus aquaticus	hibernans							
Rallus aquaticus	korejewi							
Rallus caerulescens	Sub-Saharan Africa							
Rallus madagascariensis	Madagascar							
Recurvirostra avosetta	E Africa				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Recurvirostra avosetta	Mediterranean & SE Europe (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Recurvirostra avosetta	Southern Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Recurvirostra avosetta	SW Asia (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Recurvirostra avosetta	W Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Rhodostethia rosea	High Arctic							
Rissa tridactyla	tridactyla, East Atlantic (bre)	Adequate	With replication in some subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Rissa tridactyla	tridactyla, Greenland (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented				
Rostratula benghalensis	benghalensis, Lower Nile							
Rostratula benghalensis	benghalensis, Madagascar							
Rostratula benghalensis	benghalensis, South-Western Cape							
Rostratula benghalensis	benghalensis, Sub-Saharan Africa							
Rougetius rougetii	Ethiopian highlands							
Rynchops flavirostris	East & Southern Africa	Inadequate	Without replication	All relevant subregions	Adequate	With replication in	All relevant subregions	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
			in all subregions	represented		some subregions	represented	
Rynchops flavirostris	West & Central Africa				Adequate	Without replication in all subregions	Some subregions represented	NBr
Sarkidiornis melanotos	melanotos, Madagascar				Inadequate	Without replication in all subregions	No relevant subregions represented	
Sarkidiornis melanotos	melanotos, S & E Africa				Adequate	Without replication in all subregions	Some subregions represented	NBr
Sarkidiornis melanotos	melanotos, W Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Sarothrura affinis	affinis							
Sarothrura affinis	antonii							
Sarothrura affinis	Unknown subspecies, E Rift Valley							
Sarothrura affinis	Unknown subspecies, W Rift Valley							
Sarothrura ayresi	Ethiopia	Inadequate	Without replication in all subregions	No relevant subregions represented				
Sarothrura ayresi	Southern Africa				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Sarothrura boehmi	Africa							
Sarothrura elegans	elegans							
Sarothrura elegans	reichenovi							
Sarothrura insularis	Madagascar							
Sarothrura pulchra	batesi							
Sarothrura pulchra	centralis							
Sarothrura pulchra	pulchra							
Sarothrura pulchra	zenkeri							
Sarothrura rufa	bonapartii							
Sarothrura rufa	elizabethae							
Sarothrura rufa	rufa							
Sarothrura watersi	Madagascar	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Scolopax rusticola	Azores							
Scolopax rusticola	Canary Islands							
Scolopax rusticola	Europe (Bre)							
Scolopax rusticola	Madeira							
Scolopax rusticola	W Asia (bre)							
Scopus umbretta	(bannermanni)							

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Scopus umbretta	minor							
Scopus umbretta	umbretta							
Somateria mollissima	borealis, Iceland	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Somateria mollissima	borealis, NE Greenland	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Somateria mollissima	borealis, Svalbard, Franz Joseph	Inadequate	With replication in all subregions	All relevant subregions represented				Br
Somateria mollissima	faeroeensis, Faeroe Is							
Somateria mollissima	faeroeensis, Shetland, Orkney Is				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Somateria mollissima	mollissima, Baltic, Wadden Sea	Inadequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Somateria mollissima	mollissima, Black Sea	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Somateria mollissima	mollissima, Britain, Ireland	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Somateria mollissima	mollissima, Norway, NW Russia	Adequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Somateria mollissima	mollissima, White Sea	Inadequate	Without replication in all subregions	No relevant subregions represented				
Somateria spectabilis	N Europe, W Siberia (bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Adequate	Without replication in all subregions	Some subregions represented	Br/NBr
Spheniscus demersus	South Africa	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Sterna albifrons	albifrons, E Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Sterna albifrons	albifrons, SW Asia (bre)	Adequate	With replication in some subregions	Some subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Sterna albifrons	albifrons, W Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Sterna albifrons	guineae	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	Some subregions represented	Br/NBr
Sterna anaethetus	antarctica							
Sterna anaethetus	fuligula	Inadequate	With replication in some subregions	Some subregions represented				Br
Sterna anaethetus	melanoptera							
Sterna balaenarum	SW Africa (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Sterna bengalensis	bengalensis	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
<i>Sterna bengalensis</i>	emigrata	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
<i>Sterna bengalensis</i>	par	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	NBr
<i>Sterna bergii</i>	(enigma)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
<i>Sterna bergii</i>	bergii	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Sterna bergii</i>	thalassina	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	NBr
<i>Sterna bergii</i>	velox, Persian Gulf & Indian Ocean (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented				
<i>Sterna bergii</i>	velox, Red Sea & NE Africa (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
<i>Sterna caspia</i>	Caspian (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Sterna caspia</i>	Europe (bre)	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Sterna caspia</i>	Madagascar (bre)				Inadequate	Without replication in all subregions	No relevant subregions represented	
<i>Sterna caspia</i>	Southern Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Sterna caspia</i>	W Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
<i>Sterna dougallii</i>	arideensis	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
<i>Sterna dougallii</i>	bangsi, Arabian Sea	Adequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
<i>Sterna dougallii</i>	dougalli, E Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
<i>Sterna dougallii</i>	dougalli, South Africa (bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
<i>Sterna dougallii</i>	dougalli, W Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
<i>Sterna fuscata</i>	fuscata, Gulf of Guinea & S Atlantic (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented				
<i>Sterna fuscata</i>	nubilosa	Adequate	With replication in some subregions	Some subregions represented				Br
<i>Sterna hirundo</i>	hirundo, N, E Europe (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
<i>Sterna hirundo</i>	hirundo, S, W Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Sterna hirundo	hirundo, W Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented				Br
Sterna hirundo	hirundo, W Asia (bre)				Inadequate	Without replication in all subregions	No relevant subregions represented	
Sterna maxima	albididorsalis	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Sterna nilotica	nilotica, Black Sea, E Mediterranean (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Sterna nilotica	nilotica, SW Asia (non-bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Sterna nilotica	nilotica, W Europe & W Africa (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Sterna paradisaea	N Eurasia (bre)	Adequate	Without replication in all subregions	Some subregions represented				Br
Sterna repressa	N & W Indian Ocean, Red Sea	Adequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
Sterna sandvicensis	sandvicensis, Black Sea (bre)	Adequate	With replication in some subregions	All relevant subregions represented	Inadequate	With replication in some subregions	Some subregions represented	Br/NBr
Sterna sandvicensis	sandvicensis, Caspian (bre)	Inadequate	With replication in some subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Sterna sandvicensis	sandvicensis, W Europe (bre)	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in some subregions	Some subregions represented	Br/NBr
Sterna saundersi	N & W Indian Ocean, Red Sea				Inadequate	Without replication in all subregions	Some subregions represented	NBr
Sterna vittata	sanctipauli							
Sterna vittata	tristanensis	Inadequate	Without replication in all subregions	All relevant subregions represented				Br
Sterna vittata	vittata				Inadequate	Without replication in all subregions	All relevant subregions represented	NBr
Tachybaptus pelzelinii	Madagascar							
Tachybaptus ruficollis	capensis, Sub-Saharan Africa							
Tachybaptus ruficollis	capensis, SW, Central, S Asia							
Tachybaptus ruficollis	iraquensis				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Tachybaptus ruficollis	ruficollis				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Tadorna cana	S Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	NBr
Tadorna ferruginea	E Med, Black Sea, NE Africa	Adequate	With replication in some subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Tadorna ferruginea	Ethiopia							

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Tadorna ferruginea	NW Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Tadorna ferruginea	W Asia, Caspian, Iran, Iraq	Inadequate	Without replication in all subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Tadorna tadorna	Black Sea, Mediterranean	Inadequate	With replication in some subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Tadorna tadorna	Caspian, SW Asia (non-bre)	Adequate	With replication in some subregions	Some subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Tadorna tadorna	NW Europe (bre)	Inadequate	Without replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Thalassornis leuconotus	insularis	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Thalassornis leuconotus	leuconotus, E & S Africa	Inadequate	Without replication in all subregions	All relevant subregions represented	Inadequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Thalassornis leuconotus	leuconotus, W Africa							
Threskiornis aethiopicus	Iraq, Iran				Inadequate	With replication in all subregions	All relevant subregions represented	NBr
Threskiornis aethiopicus	Sub-Saharan Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Threskiornis bernieri	bernieri	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	
Tigriornis leucolopha	W & C Africa							
Tringa erythropus	Europe (bre)	Inadequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr
Tringa erythropus	W Siberia (bre)				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Tringa glareola	NE Europe, W Siberia (bre)	Adequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
Tringa glareola	NW Europe (bre)	Adequate	With replication in some subregions	All relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Tringa nebularia	NE Europe, W Asia (bre)							
Tringa nebularia	NW Europe (bre)				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Tringa ochropus	Europe (bre)							
Tringa ochropus	W Asia (bre)							
Tringa stagnatilis	C & NE Europe (bre)				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Tringa stagnatilis	SE Europe & W Asia (bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	With replication in some subregions	All relevant subregions represented	NBr
Tringa totanus	britannica	Adequate	With replication in all subregions	All relevant subregions represented	Adequate	With replication in all subregions	All relevant subregions represented	Br/NBr

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Tringa totanus	robusta				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Tringa totanus	totanus Central & Eastern Europe (breeding)	Inadequate	With replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	All relevant subregions represented	Br/NBr
Tringa totanus	totanus Northern Europe (breeding)				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Tringa totanus	ussuriensis, SW Asia & E Africa (non-bre)				Inadequate	Without replication in all subregions	No relevant subregions represented	
Vanellus albiceps	SE Africa							
Vanellus albiceps	Tanzania				Adequate	With replication in all subregions	All relevant subregions represented	NBr
Vanellus albiceps	W & C Africa							
Vanellus armatus	S & E Africa							
Vanellus coronatus	coronatus, Central Africa							
Vanellus coronatus	coronatus, Eastern & Southern Africa							
Vanellus coronatus	demissus							
Vanellus coronatus	xerophilus							
Vanellus crassirostris	crassirostris, E & C Africa							
Vanellus crassirostris	crassirostris, Lake Chad Basin				Inadequate	Without replication in all subregions	No relevant subregions represented	
Vanellus crassirostris	crassirostris, W Angola							
Vanellus crassirostris	leucopterus				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Vanellus gregarius	S Asia (non-bre)	Inadequate	Without replication in all subregions	All relevant subregions represented				Br
Vanellus gregarius	SW Asia & NE Africa (non-bre)	Inadequate	With replication in some subregions	Some subregions represented	Adequate	With replication in some subregions	All relevant subregions represented	Br/NBr
Vanellus leucurus	S Asia (non-bre)							
Vanellus leucurus	SW Asia, NE Africa (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Vanellus lugubris	Equatorial, E & SE Africa							
Vanellus lugubris	West Africa							
Vanellus melanocephalus	Ethiopia	Adequate	Without replication in all subregions	All relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	Br
Vanellus melanopterus	melanopterus, Ethiopia							
Vanellus melanopterus	minor, Kenya, Tanzania				Adequate	Without replication in all subregions	All relevant subregions represented	NBr
Vanellus melanopterus	minor, Southern Africa	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	

Species	Flyway	Br Adequacy	Br Replication	Br Representativity	NBr Adequacy	NBr Replication	NBr Representativity	Connectivity
Vanellus senegallus	(solitaneus)							
Vanellus senegallus	lateralis	Adequate	Without replication in all subregions	No relevant subregions represented	Adequate	Without replication in all subregions	No relevant subregions represented	
Vanellus senegallus	major							
Vanellus senegallus	senegallus							
Vanellus spinosus	Africa				Adequate	Without replication in all subregions	Some subregions represented	NBr
Vanellus spinosus	SE Europe, Asia Minor				Inadequate	Without replication in all subregions	No relevant subregions represented	
Vanellus superciliosus	W, C & E Africa							
Vanellus vanellus	Europe & W Asia (bre)				Adequate	With replication in some subregions	All relevant subregions represented	NBr
Xema sabini	(palaeartica)							
Xema sabini	sabini	Inadequate	Without replication in all subregions	No relevant subregions represented				
Xenus cinereus	SW Asia, E Africa (non-bre)	Inadequate	Without replication in all subregions	No relevant subregions represented	Inadequate	Without replication in all subregions	No relevant subregions represented	